

Reference list for the database of Stehle and Schulz (2015) "Agricultural insecticides threaten surface waters at the global scale" PNAS (early edition)

- Abarca, L. & Ruepert, C. Pesticides detected in the Valle de la Estrella: preliminary study. *Tecnol. Marcha* **12**, 31-38 (1992).
- Abbassy, M. S. Pesticides and polychlorinated biphenyls drained into north coast of the Mediterranean Sea, Egypt. *Bull. Environ. Contam. Toxicol.* **64**, 508-517 (2000).
- Abbassy, M. S., Ibrahim, H. Z. & Abu El-Amayem, M. M. Occurrence of pesticides and polychlorinated biphenyls in water of the Nile river at the estuaries of Rosetta and Damietta branches, North of Delta, Egypt. *J. Environ. Sci. Heal. B* **34**, 255-267 (1999).
- Abdel-Halim, K. Y., Salama, A. K., El-Khateeb, E. N. & Bakry, N. M. Organophosphorus pollutants (OPP) in aquatic environment at Damietta Governorate, Egypt: implications for monitoring and biomarker responses. *Chemosphere* **63**, 1491-1498 (2006).
- Abiru, K. *et al.* Mutagen formation potential (MFP) of Kotsuki river water and contribution of pesticides to MFP. *J. Water Environ. Tech.* **9**, 349-357 (2011).
- Ademola, A. F. & Gideon, I. A. Determination of organophosphorous pesticide residue in some selected cocoa farms in Idanre, Ondo State, Nigeria. *Electron. J. Environ. Agric. Food Chem.* **11**, 118-127 (2012).
- Agbohessi, T. P., Toko, I. I. & Kestemont, P. Current status of the contamination of aquatic ecosystems by organochlorine pesticides in the cotton basin of Benin. *Cah. Agric.* **21**, 46-56 (2012).
- Agnihotri, N. P., Gajbhiye, V. T., Kumar, M. & Mohapatra, S. P. Organochlorine insecticide residues in Ganga river water near Farrukhabad, India. *Environ. Monit. Assess.* **30**, 105-112 (1994).
- Agradi, E. *et al.* Environmental contaminants and biochemical response in eel exposed to Po river water. *Chemosphere* **41**, 1555-1562 (2000).
- Aguilar, C., Borrull, F. & Marce, R. M. Determination of pesticides in environmental waters by solid-phase extraction and gas chromatography with electron-capture and mass spectrometry detection. *J. Chromatogr. A* **771**, 221-231 (1997).
- Ahmadi, F., Assadi, Y., Hosseini, S. M. & Rezaee, M. Determination of organophosphorus pesticides in water samples by single drop microextraction and gas chromatography-flame photometric detector. *J. Chromatogr. A* **1101**, 307-312 (2006).
- Ahmadi-Mamaqani, Y. *et al.* Diazinon fate and toxicity in the Tajan river (Iran) ecosystem. *Environ. Eng. Sci.* **28**, 859-868 (2011).
- Aksu, A., Balkis, N., Taskin, O. S. & Ersan, M. S. Toxic metal (Pb, Cd, As and Hg) and organochlorine residue levels in hake (*Merluccius merluccius*) from the Marmara Sea, Turkey. *Environ. Monit. Assess.* **182**, 509-521 (2011).
- Albanis, T., Danis, T., Voutsas, D. & Kouimtzis, T. Evaluation of chemical-parameters in Aliakmon river northern Greece. 3. Pesticides. *J. Environ. Sci. Heal. A* **30**, 1945-1956 (1995).
- Albanis, T. *et al.* Axios river pollution. Part I. The pesticides. *J. Environ. Prot. Ecol.* **10**, 32-36 (2009).

- Albanis, T. A. & Hela, D. G. Multi-residue pesticide analysis in environmental water samples using solid-phase extraction discs and gas-chromatography with flame thermionic and mass-selective detection. *J. Chromatogr. A* **707**, 283-292 (1995).
- Albanis, T. A. & Hela, D. G. Pesticide concentrations in Louros river and their fluxes into the marine environment. *Int. J. Environ. Anal. Chem.* **70**, 105-120 (1998).
- Albanis, T. A., Hela, D. G., Lambropoulou, D. A. & Vasilios, A. S. Gas chromatographic-mass spectrometric methodology using solid-phase microextraction for the multiresidue determination of pesticides in surface waters. *Int. J. Environ. Anal. Chem.* **84**, 1079-1092 (2004).
- Albanis, T. A., Hela, D. G., Sakellarides, T. & Konstantinou, I. K. Monitoring of pesticide residues and their metabolites in surface and underground waters of Imathia (N. Greece) by means of solid-phase extraction disks and gas chromatography. *J. Chromatogr. A* **823**, 59-71 (1998).
- Albanis, T. A., Pomonis, P. J. & Sdoukos, A. T. Organophosphorous and carbamates pesticide residues in the aquatic system of Ioannina basin and Kalamas river (Greece). *Chemosphere* **15**, 1023-1034 (1986).
- Albaser, S. S. *et al.* Micro liquid-liquid extraction of synthetic pyrethroids from surface waters for liquid-chromatographic determination. *Toxicol. Environ. Chem.* **93**, 1309-1318 (2011).
- Alexander, A. C., Heard, K. S. & Culp, J. M. Emergent body size of mayfly survivors. *Freshwat. Biol.* **53**, 171-180 (2007).
- Altmayer, B., Twertek, M., Paetzold, M. & Laronche, J. S. Einträge von Pflanzenschutzmitteln in Gewässer - Situation im Weinbau und Gegenmaßnahmen. *Gesunde Pflanz.* **55**, 161-168 (2003).
- Alvarez, D. A. *et al.* Chemical and toxicological assessment of organic contaminants in surface water using passive samplers. *J. Environ. Qual.* **37**, 1024-1033 (2008).
- Alvarez, D. A. *et al.* Reproductive health of bass in the Potomac, USA, drainage: part 2. Seasonal occurrence of persistent and emerging organic contaminants. *Environ. Toxicol. Chem.* **28**, 1084-1095 (2009).
- Alvarez, M. D. & Fuiman, L. A. Ecological performance of red drum (*Sciaenops ocellatus*) larvae exposed to environmental levels of the insecticide malathion. *Environ. Toxicol. Chem.* **25**, 1426-1432 (2006).
- Aminuddin, B. Y. *et al.* impact of intensive highland agriculture on the ecosystem. *J. Trop. Agric. Food Sci.* **29**, 169-176 (2001).
- Amweg, E. L. & Weston, D. P. Whole-sediment toxicity identification evaluation tools for pyrethroid insecticides: I. Piperonyl butoxide addition. *Environ. Toxicol. Chem.* **26**, 2389-2396 (2007).
- Anasco, N. *et al.* Assessment of pesticide residues in freshwater areas affected by rice paddy effluents in Southern Japan. *Environ. Monit. Assess.* **160**, 371-383 (2010).
- Anderson, B. *et al.* Pesticide and toxicity reduction using an integrated vegetated treatment system. *Environ. Toxicol. Chem.* **30**, 1036-1043 (2011).
- Anderson, B. S. *et al.* Causes of ambient toxicity in the Calleguas Creek watershed of southern California. *Environ. Monit. Assess.* **78**, 131-151 (2002).
- Anderson, B. S. *et al.* Ecotoxicological impacts of agricultural drain water in the Salinas River, California, USA. *Environ. Toxicol. Chem.* **22**, 2375-2384 (2003a).
- Anderson, B. S. *et al.* Integrated assessment of the impacts of agricultural drainwater in

- the Salinas River (California, USA). *Environ. Pollut.* **124**, 523-532 (2003b).
- Anderson, B. S. *et al.* Identifying primary stressors impacting macroinvertebrates in the Salinas River (California, USA): relative effects of pesticides and suspended particles. *Environ. Pollut.* **141**, 402-408 (2006a).
- Anderson, B. S. *et al.* in *Synthetic Pyrethroids. Occurrence and Behavior in Aquatic Environments* (eds J. Gan, F. Spurlock, P. Hendley, & D. Weston) 370-399 (American Chemical Society, Washington, DC, 2008).
- Anderson, B. S. *et al.* Evidence of pesticide impacts in the Santa Maria River watershed, California, USA. *Environ. Toxicol. Chem.* **25**, 1160-1170 (2006b).
- Angelidis, M. O. & Albanis, T. Pesticide residues and heavy metals in the Evros river delta, N.E. Greece. *Toxicol. Environ. Chem.* **53**, 33-44 (1996).
- Angelidis, M. O., Markantonatos, P. G., Bacalis, N. C. & Albanis, T. A. Seasonal fluctuations of nutrients and pesticides in the basin of Evrotas river, Greece. *J. Environ. Sci. Heal. A* **31**, 387-410 (1996).
- Ansara-Ross, T. M., Wepener, V., van den Brink, P. J. & Ross, M. J. Pesticides in South African fresh waters. *Afr. J. Aquat. Sci.* **37**, 1-16 (2012).
- Arellano-Aguilar, O. & Macias Garcia, C. Effects of methyl parathion exposure on development and reproduction in the viviparous fish *Girardinichthys multiradiatus*. *Environ. Toxicol.* **24**, 178-186 (2009).
- Arias, A. H., Pereyra, M. T. & Marcovecchio, J. E. Multi-year monitoring of estuarine sediments as ultimate sink for DDT, HCH, and other organochlorinated pesticides in Argentina. *Environ. Monit. Assess.* **172**, 17-32 (2011).
- Arshad, U. *et al.* Pesticide (diazinon and butachlor) monitoring in waters of the Shahid Beheshti sturgeon hatchery, Rasht, Iran. *J. Appl. Ichthyol.* **22**, 231-233 (2006).
- Aufseß, G. *et al.* in *Stoffbelastungen der Fließgewässerbiotope* (ed Deutscher Verband für Wasserwirtschaft und Kulturbau e.V. (DVWK)) 1-78 (Parey, Hamburg, Berlin, 1989).
- Awasthi, M. D., Sharma, D. & Ahuja, A. K. Monitoring of horticultural ecosystem: orchard soil and water bodies for pesticide residues around north Bangalore. *Pest. Res. J.* **14**, 286-291 (2002).
- Awofolu, R. O. & Fatoki, O. S. Persistent organochlorine pesticide residues in freshwater systems and sediments from the Eastern Cape, South Africa. *Water Sa* **29**, 323-330 (2003).
- Baas, J. *et al.* Prediction of Daphnid Survival after in Situ Exposure to Complex Mixtures. *Environ. Sci. Technol.* **43**, 6064-6069 (2009).
- Babu, V., Unnikrishnan, P., Anu, G. & Nair, S. M. Distribution of organophosphorus pesticides in the bed sediments of a backwater system located in an agricultural watershed: influence of seasonal intrusion of seawater. *Arch. Environ. Contam. Toxicol.* **60**, 597-609 (2011).
- Bacey, J. *et al.* Residues and toxicity of esfenvalerate and permethrin in water and sediment, in tributaries of the Sacramento and San Joaquin Rivers, California, USA. *Bull. Environ. Contam. Toxicol.* **74**, 864-871 (2005).
- Bacigalupo, M. A. & Meroni, G. Quantitative determination of diuron in ground and surface water by time-resolved fluoroimmunoassay: seasonal variations of diuron, carbofuran, and paraquat in an agricultural area. *J. Agric. Food. Chem.* **55**, 3823-3828 (2007).

- Bacigalupo, M. A., Meroni, G. & Longhi, R. Determination of carbofuran in water by homogeneous immunoassay using selectively conjugate mastoparan and terbium/dipicolinic acid fluorescent complex. *Talanta* **69**, 1106-1111 (2006).
- Badawy, M. I. Use and impact of pesticides in Egypt. *Int. J. Environ. Health Res.* **8**, 223-239 (1998).
- Baez, M. *et al.* Pesticide residues in surface waters of the V region, Chile. Prospective study. *Bol. Soc. Chil. Quim.* **41**, 271-276 (1996).
- Bagchi, S. *et al.* Quantitative analysis of pesticide residues in some pond water samples of Bangladesh. *Asian J. Wat. Environ. Poll.* **6**, 27-30 (2009).
- Bailey, H. C. *et al.* Development of procedures for identifying pesticide toxicity in ambient waters: carbofuran, diazinon, chlorpyrifos. *Environ. Toxicol. Chem.* **15**, 837-845 (1996).
- Bajet, C. M. in *Pesticide Residues in Coastal Tropical Ecosystems. Distribution, fate and effects* (eds M. D. Taylor *et al.*) 271-310 (Taylor & Francis, London, 2003).
- Bajet, C. M., Kumar, A., Calingacion, M. N. & Narvacan, T. C. Toxicological assessment of pesticides used in the Pagsanjan-Lumban catchment to selected non-target aquatic organisms in Laguna Lake, Philippines. *Agric. Water Manage.* **106**, 42-49 (2012).
- Baker, D. B. in *Effects of Conservation Tillage on Groundwater Quality. Nitrates and Pesticides* (eds T. J. Logan, J M. Davidson, J. L. Baker, & M. R. Overcash) 65-91 (Lewis Publishers Inc., Michigan, 1987).
- Barakat, A. O. Assessment of persistent toxic substances in the environment of Egypt. *Environ. Int.* **30**, 309-322 (2004).
- Barakat, A. O., Kim, M., Qian, Y. R. & Wade, T. L. Organochlorine pesticides and PCB residues in sediments of Alexandria Harbour, Egypt. *Mar. Pollut. Bull.* **44**, 1426-1434 (2002).
- Barasa, M. W., Wandiga, S. O. & Lalah, J. O. Seasonal variation in concentrations of organochlorine pesticide residues in tropical estuarine sediments along the Indian Ocean Coast of Kenya. *Mar. Pollut. Bull.* **54**, 1979-1984 (2007).
- Barata, C. *et al.* Combined use of biomarkers and in situ bioassays in *Daphnia magna* to monitor environmental hazards of pesticides in the field. *Environ. Toxicol. Chem.* **26**, 370-379 (2007).
- Barber, L. B. *et al.* Chemical loading into surface water along a hydrological, biogeochemical, and land use gradient: A holistic watershed approach. *Environ. Sci. Technol.* **40**, 475-486 (2006).
- Barlas, N., Cok, I. & Akbulut, N. The contamination levels of organochlorine pesticides in water and sediment samples in Uluabat Lake, Turkey. *Environ. Monit. Assess.* **118**, 383-391 (2006).
- Barra, R., Vighi, M. & Di Guardo, A. Prediction of surface-water input of chloridazon and chlorpyrifos from an agricultural watershed in Chile. *Chemosphere* **30**, 485-500 (1995).
- Basheer, C., Lee, H. K. & Obbard, J. P. Determination of organochlorine pesticides in seawater using liquid-phase hollow fibre membrane microextraction and gas chromatography-mass spectrometry. *J. Chromatogr. A* **968**, 191-199 (2002).
- Battaglin, W. & Fairchild, J. Potential toxicity of pesticides measured in midwestern streams to aquatic organisms. *Water Sci. Technol.* **45**, 95-102 (2002).

- Battaglin, W. A. *et al.* The occurrence of glyphosate, atrazine, and other pesticides in vernal pools and adjacent streams in Washington, DC, Maryland, Iowa, and Wyoming, 2005-2006. *Environ. Monit. Assess.* **155**, 281-307 (2009).
- Baudino, O. M., Suero, E. A., Augusto, M., Gimenez, M. E. & Flores, N. Monitoring of organochlorine pesticides in surface and ground water in San Juan Argentina. *J. Chil. Chem. Soc.* (2003).
- Baughman, D. S., Moore, D. W. & Scott, G. I. A comparison and evaluation of field and laboratory toxicity tests with fenvalerate on an estuarine crustacean. *Environ. Toxicol. Chem.* **8**, 417-429 (1989).
- Becker, A. G. *et al.* Pesticide contamination of water alters the metabolism of juvenile silver catfish, *Rhamdia quelen*. *Ecotoxicol. Environ. Saf.* **72**, 1734-1739 (2009).
- Begum, A., HariKrishna, S. & Khan, I. A Survey of persistent organochlorine pesticides residues in some Streams of the Cauvery River, Karnataka, India. *Int. J. ChemTech Res.* **1**, 237-244 (2009).
- Belden, J. B. *et al.* Assessment of the effects of farming and conservation programs on pesticide deposition in high plains wetlands. *Environ. Sci. Technol.* **46**, 3424-3432 (2012).
- Belluta, I. *et al.* Temporal and spatial evaluation of Cintra stream (Botucatu, Sao Paulo State, Brazil) relative to pesticides and physicochemical parameters of water quality - a case study. *Revis. Ener. Agricul.* **25**, 54-73 (2010).
- Berensen, N. *et al.* A comparison of predicted and measured levels of runoff-related pesticide concentrations in small lowland streams on a landscape level. *Chemosphere* **58**, 683-691 (2005).
- Bergamaschi, B. A., Baston, D. S., Crepeau, K. L. & Kuivila, K. M. determination of pesticides associated with suspended sediments in the San Joaquin River, California, USA, using gas chromatography-ion trap mass spectrometry. *Toxicol. Environ. Chem.* **69**, 305-319 (1999).
- Bergamaschi, B. A., Kuivila, K. M. & Fram, M. S. Pesticides associated with suspended sediments entering San Francisco Bay following the-first major storm of water year 1996. *Estuaries* **24**, 368-380 (2001).
- Bernal, J. L., Delnozal, M. J., Atienza, J. & Jimenez, J. J. Multidetermination of PCBs and pesticides by use of a dual GC column-dual detector system. *Chromatographia* **33**, 67-76 (1992).
- Beyers, D. W., Carlson, C. A. & Tessari, J. D. Solid-phase extraction of carbaryl and malathion from pond and well water. *Environ. Toxicol. Chem.* **10**, 1425-1429 (1991).
- Bhattacharya, B., Sarkar, S. K. & Mukherjee, N. Organochlorine pesticide residues in sediments of a tropical mangrove estuary, India: implications for monitoring. *Environ. Int.* **29**, 587-592 (2003).
- Bhuiyan, S. I. & Castenada, A. R. in *Impact of Pesticides on Farmer Health and the Rice Environment* (eds P. L. Pingali & P. A. Roger) 181-202 (Kluwer Academic Publishers, Dordrecht, 1995).
- Bishnu, A., Chakrabarti, K., Chakraborty, A. & Saha, T. Pesticide residue level in tea ecosystems of Hill and Dooars regions of West Bengal, India. *Environ. Monit. Assess.* **149**, 457-464 (2009).
- Bishop, C. A. *et al.* Hatching success and pesticide exposures in amphibians living in

- agricultural habitats of the South Okanagan Valley, British Columbia, Canada (2004-2006). *Environ. Toxicol. Chem.* **29**, 1593-1603 (2010).
- Bishop, C. A. *et al.* Anuran development, density and diversity in relation to agricultural activity in the Holland River watershed, Ontario, Canada (1990-1992). *Environ. Monit. Assess.* **57**, 21-43 (1999).
- Black, R. W., Haggland, A. L. & Voss, F. D. Predicting the probability of detecting organochlorine pesticides and polychlorinated biphenyls in stream systems on the basis of land use in the pacific northwest, USA. *Environ. Toxicol. Chem.* **19**, 1044-1054 (2000).
- Bollmohr, S., Day, J. A. & Schulz, R. Temporal variability in particle-associated pesticide exposure in a temporarily open estuary, Western Cape, South Africa. *Chemosphere* **68**, 479-488 (2007).
- Bollmohr, S. & Schulz, R. Seasonal changes of macroinvertebrate communities in a Western Cape river, South Africa, receiving nonpoint-source insecticide pollution. *Environ. Toxicol. Chem.* **28**, 809-817 (2009).
- Bollmohr, S., Schulz, R. & Hahn, T. Interactive effect of salinity decrease, salinity adaptation, and chlorpyrifos exposure on an estuarine harpacticoid copepod, *Mesochra parva*, in South Africa. *Ecotoxicol. Environ. Saf.* **72**, 756-764 (2009a).
- Bollmohr, S. *et al.* Spatial and temporal variability in particle-bound pesticide exposure and their effects on benthic community structure in a temporarily open estuary. *Estuar. Coast. Shelf Sci.* **82**, 50-60 (2009b).
- Bollmohr, S. *et al.* Environmental variables, pesticide pollution and meiofaunal community structure in two contrasting temporarily open/closed False Bay estuaries. *Water Sa* **37**, 391-400 (2011).
- Boluda, R. *et al.* Application of the Microtox (R) test and pollution indices to the study of water toxicity in the Albufera Natural Park (Valencia, Spain). *Chemosphere* **46**, 355-369 (2002).
- Bondarenko, S. & Gan, J. Simultaneous measurement of free and total concentrations of hydrophobic compounds. *Environ. Sci. Technol.* **43**, 3772-3777 (2009).
- Bondarenko, S., Spurlock, F. & Gan, J. Analysis of pyrethroids in sediment pore water by solid-phase microextraction. *Environ. Toxicol. Chem.* **26**, 2587-2593 (2007).
- Bortoluzzi, E. C. *et al.* Contamination of surface water by pesticides as a function of soil use in the Agudo watershed, RS. *Rev. Bras. Eng. Agríc. Ambient.* **10**, 881-887 (2006).
- Bortoluzzi, E. C. *et al.* Investigation of the occurrence of pesticide residues in rural wells and surface water following application to tobacco. *Quim. Nova* **30**, 1872-1876 (2007).
- Botello, A. V., Diaz, G., Rueda, L. & Villanueva, S. F. Organochlorine compounds in oysters and sediments from coastal lagoons of the Gulf of Mexico. *Bull. Environ. Contam. Toxicol.* **53**, 238-245 (1994).
- Botello, A. V. *et al.* Persistent organochlorine pesticides (POPs) in coastal lagoons of the subtropical Mexican pacific. *Bull. Environ. Contam. Toxicol.* **64**, 390-397 (2000).
- Botta, F. *et al.* Phyt'Eaux Cites: application and validation of a programme to reduce surface water contamination with urban pesticides. *Chemosphere* **86**, 166-176 (2012).

- Brady, J. A. *et al.* Pesticide runoff from orchard floors in Davis, California, USA: A comparative analysis of diazinon and esfenvalerate. *Agric., Ecosyst. Environ.* **115**, 56-68 (2006).
- Brander, S. M., Werner, I., White, J. W. & Deanovic, L. A. Toxicity of a dissolved pyrethroid mixture to *Hyalella azteca* at environmentally relevant concentrations. *Environ. Toxicol. Chem.* **28**, 1493-1499 (2009).
- Bratanova, Z., Kovacicova, J. & Gopina, G. A review of existing data on the occurrence of pesticides in water of the river Danube and its tributaries. *Fresenius Environ. Bull.* **7**, 495-501 (1998).
- Bratanova, Z. & Vassilev, K. Pesticide residues in ground and surface water in Bulgaria. *Fresenius Environ. Bull.* **10**, 401-404 (2001).
- Braun, H. E. & Frank, R. Organochlorine and organophosphorous insecticides: their use in eleven agricultural watersheds and their loss to stream waters in southern Ontario, Canada, 1975-1977. *Sci. Total Environ.* **15**, 169-192 (1980).
- Broomhall, S. D. Egg temperature modifies predator avoidance and the effects of the insecticide endosulfan on tadpoles of an Australian frog. *J. Appl. Ecol.* **41**, 105-113 (2004).
- Brossa, L., Marce, R. A., Borrull, F. & Pocurull, E. Occurrence of twenty-six endocrine-disrupting compounds in environmental water samples from Catalonia, Spain. *Environ. Toxicol. Chem.* **24**, 261-267 (2005).
- Brown, L. R. Concentrations of chlorinated organic compounds in biota and bed sediment in streams of the san Joaquin Valley, California. *Arch. Environ. Contam. Toxicol.* **33**, 357-368 (1997).
- Brunelli, E. *et al.* Environmentally relevant concentrations of endosulfan impair development, metamorphosis and behaviour in *Bufo bufo* tadpoles. *Aquat. Toxicol.* **91**, 135-142 (2009).
- Brunetto, R., Burguera, M. & Burguera, J. L. Organophosphorus pesticide-residues in some watercourses from Merida, Venezuela. *Sci. Total Environ.* **114**, 195-204 (1992).
- Budd, R. *et al.* Occurrence and bioavailability of pyrethroids in a mixed land use watershed. *J. Environ. Qual.* **36**, 1006-1012 (2007).
- Budd, R. *et al.* Efficacy of constructed wetlands in pesticide removal from tailwaters in the Central Valley, California. *Environ. Sci. Technol.* **43**, 2925-2930 (2009).
- Burgos-Hernández, A. *et al.* Presence of insecticides in shrimp farms adjacent to the sea of Cortes: detection, quantification, and toxicity testing. *Eur. Food Res. Technol.* **222**, 380-384 (2005).
- Bushway, R. J., Litten, W., Porter, K. & Wertam, J. A Survey of azinphos methyl and azinphos methyl oxon in water and blueberry samples from Hancock and Washington Counties of Maine. *Bull. Environ. Contam. Toxicol.* **28**, 341-347 (1982).
- Byard, J. L. The impact of rice pesticides on the aquatic ecosystems of the Sacramento river and delta (California). *Rev. Environ. Contamin. Toxicol.* **159**, 95-110 (1999).
- Caceres, O., Castellan, O. A. M., Moraes, G. & Pereira, M. Chlorinated pesticides residues in water in the cities of Sao Carlos and Araraquara. *Cienc. Cult.* **33**, 1622-1626 (1981).
- Capobiango, H. L. V. & Cardeal, Z. L. A solid-phase microextraction method for the

- chromatographic determination of organophosphorus pesticides in fish, water, potatoes, guava and coffee. *J. Braz. Chem. Soc.* **16**, 907-914 (2005).
- Cappiello, A., Famigliani, G., Palma, P. & Mangani, F. Trace level determination of organophosphorus pesticides in water with the new direct-electron ionization LC/MS interface. *Anal. Chem.* **74**, 3547-3554 (2002).
- Capri, E., Balderacchi, M., Yon, D. & Reeves, G. Deposition and dissipation of chlorpyrifos in surface water following vineyard applications in Northern Italy. *Environ. Toxicol. Chem.* **24**, 852-860 (2005).
- Carafa, R. *et al.* Seasonal variations of selected herbicides and related metabolites in water, sediment, seaweed and clams in the Sacca di Goro coastal lagoon (Northern Adriatic). *Chemosphere* **69**, 1625-1637 (2007).
- Cardona, A. J., Faustino, J., Jimenze, F. & Velasquez, S. Contamination risk of surface water in La Soledad micro-watershed, Honduras. *Rec. Nat. Ambien.* **45**, 59-66 (2005).
- Carey, A. E. & Kutz, F. W. Trends in ambient concentrations of agrochemicals in humans and the environment of the United States. *Environ. Monit. Assess.* **5**, 155-163 (1985).
- Carriger, J. F. & Rand, G. M. Aquatic risk assessment of pesticides in surface waters in and adjacent to the Everglades and Biscayne National Parks: I. Hazard assessment and problem formulation. *Ecotoxicology* **17**, 660-679 (2008).
- Carter, A. Exposure and effects of chlorpyrifos following use under southern European conditions, Catania (Italy), 9–10 April 2003. *Outlooks Pest Manage.* **15**, 24-28 (2004).
- Carvalho, F. P. *et al.* Distribution, fate and effects of pesticide residues in tropical coastal lagoons of northwestern Mexico. *Environ. Technol.* **23**, 1257-1270 (2002a).
- Carvalho, F. P. *et al.* Chlorinated hydrocarbons in coastal lagoons of the Pacific coast of Nicaragua. *Arch. Environ. Contam. Toxicol.* **36**, 132-139 (1999).
- Carvalho, F. P. *et al.* Ecological risk assessment of pesticide residues in coastal lagoons of Nicaragua. *J. Environ. Monit.* **4**, 778-787 (2002b).
- Carvalho, F. P. *et al.* Chlorinated hydrocarbons in sediments from Manila Bay, the Philippines. *Int. J. Environ. Stud.* **67**, 493-504 (2010).
- Carvalho, P. N., Rodrigues, P. N., Basto, M. C. & Vasconcelos, M. T. Organochlorine pesticides levels in Portuguese coastal areas. *Chemosphere* **75**, 595-600 (2009a).
- Carvalho, F. P. *et al.* Organic contaminants in the marine environment of Manila Bay, Philippines. *Arch. Environ. Contam. Toxicol.* **57**, 348-358 (2009b).
- Carvalho, F. P. *et al.* Pesticide and PCB residues in the aquatic ecosystems of Laguna de Terminos, a protected area of the coast of Campeche, Mexico. *Chemosphere* **74**, 988-995 (2009c).
- Carvalho, F. P. *et al.* Agrochemical and polychlorobiphenyl (PCB) residues in the Mekong River delta, Vietnam. *Mar. Pollut. Bull.* **56**, 1476-1485 (2008).
- Castilho, J. A. A., Fenzl, N., Guillen, S. M. & Nascimento, F. S. Organochlorine and organophosphorus pesticide residues in the Atoya river basin, Chinandega, Nicaragua. *Environ. Pollut.* **110**, 523-533 (2000).
- Castillo, L. E., de la Cruz, E. & Ruepert, C. Ecotoxicology and pesticides in tropical aquatic ecosystems of Central America. *Environ. Toxicol. Chem.* **16**, 41-51

- (1997).
- Castillo, L. E. *et al.* Water quality and macroinvertebrate community response following pesticide applications in a banana plantation, Limon, Costa Rica. *Sci. Total Environ.* **367**, 418-432 (2006).
- Castillo, L. E., Ruepert, C. & Solis, E. Pesticide residues in the aquatic environment of banana plantation areas in the north Atlantic zone of Costa Rica. *Environ. Toxicol. Chem.* **19**, 1942-1950 (2000).
- Cavalcante, R. M., Lima, D. M., Fernandes, G. M. & Duavi, W. C. Relation factor: a new strategy for quality control in the determination of pesticides in environmental aqueous matrices. *Talanta* **93**, 212-218 (2012).
- Cerejeira, M. J. *et al.* Pesticides in Portuguese surface and ground waters. *Water Res.* **37**, 1055-1063 (2003).
- Chandler, G. T. Effects of sediment-bound residues of the pyrethroid insecticide fenvalerate on survival and reproduction of meiobenthic copepods. *Mar. Environ. Res.* **29**, 65-76 (1990).
- Chandler, G. T. & Scott, G. I. Effects of sediment-bound endosulfan on survival, reproduction and larval settlement of meiobenthic polychaetes and copepods. *Environ. Toxicol. Chem.* **10**, 375-382 (1991).
- Chang, Q. *et al.* Analysis of eight pyrethroids in water samples by liquid-liquid microextraction based on solidification of floating organic droplet combined with gas chromatography. *Microchim. Acta* **171**, 241-247 (2010).
- Charan, P. D., Sharma, R. & Sharma, K. C. Gas chromatographic analysis of organochlorine pesticides in Lake Anasagar of Ajmer, Rajasthan (India). *J. Environ. Sci. Eng.* **52**, 37-40 (2010).
- Chen, W. L., Hertl, P., Chen, S. M. & Tierney, D. A pesticide surface water mobility index and its relationship with concentrations in agricultural drainage watersheds. *Environ. Toxicol. Chem.* **21**, 298-308 (2002).
- Cherta, L., Beltran, J., Portoles, T. & Hernandez, F. Multiclass determination of 66 organic micropollutants in environmental water samples by fast gas chromatography-mass spectrometry. *Anal. Bioanal. Chem.* **402**, 2301-2314 (2012).
- Chevre, N., Maillard, E., Loepfe, C. & Becker-van Slooten, K. Determination of water quality standards for chemical mixtures: extension of a methodology developed for herbicides to a group of insecticides and a group of pharmaceuticals. *Ecotoxicol. Environ. Saf.* **71**, 740-748 (2008).
- Chowdhury, A. Z. *et al.* Occurrence of organophosphorus and carbamate pesticide residues in surface water samples from the Rangpur district of Bangladesh. *Bull. Environ. Contam. Toxicol.* **89**, 202-207 (2012).
- Chu, C., Lin, M. J., Huang, C. H. & Lin, H. T. Monitoring of pesticide residues in the irrigation system of paddy field in Yunlin area. *Plant Protect. Bull.* **49**, 245-257 (2007).
- Cid, A. P., del Mundo, F. R. & Espino, M. P. B. A modified analytical procedure for the determination of carbaryl, carbofuran and methomyl residues in agricultural soil and river water samples from La Trinidad, Benguet and Aurora, Isabela, Philippines. *Philipp. Agric. Sci.* **89**, 71-84 (2006).
- Clark, G. M. Occurrence and flux of selected pesticides in surface water of the upper

- Snake River Basin, Idaho and western Wyoming. *J. Soil Water Conserv.* **52**, 381-388 (1997).
- Clark, J. R., Lewis, M. A. & Pait, A. S. Pesticide inputs and risks in coastal wetlands. *Environ. Toxicol. Chem.* **12**, 2225-2233 (1993).
- Claver, A., Ormad, P., Rodriguez, L. & Ovelleiro, J. L. Study of the presence of pesticides in surface waters in the Ebro river basin (Spain). *Chemosphere* **64**, 1437-1443 (2006).
- Connell, D. W. *et al.* Persistent Lipophilic Contaminants and Other Chemical Residues in the Southern Hemisphere. *Crit. Rev. Environ. Sci. Technol.* **29**, 47-82 (1999).
- Cooman, K. *et al.* Use of *Daphnia* spp. for the ecotoxicological assessment of water quality in an agricultural watershed in South-Central Chile. *Arch. Environ. Contam. Toxicol.* **48**, 191-200 (2005).
- Cooper, C. M. Insecticide concentrations in ecosystem components of an intensively cultivated watershed in Mississippi. *J. Freshwat. Ecol.* **6**, 237-247 (1991a).
- Cooper, C. M. Persistent organochlorine and current use insecticide concentrations in major watershed components of Moon Lake, Mississippi, USA. *Arch. Hydrobiol.* **121**, 103-113 (1991b).
- Cooper, C. M., Smith, S. & Moore, M. T. Surface water, ground water and sediment quality in three oxbow lake watersheds in the Mississippi delta agricultural region: pesticides. *Int. J. Ecol. Environ. Sci.* **29**, 171-184 (2003).
- Cooper, C. M. *et al.* A Mississippi flood control reservoir: life expectancy and contamination. *Int. J. Ecol. Environ. Sci.* **28**, 151-160 (2002).
- Coote, D. R. *et al.* Agriculture and water quality in the Canadian Great Lakes basin: I. Representative agricultural watersheds. *J. Environ. Qual.* **11**, 473-481 (1982).
- Corbi, J. J., Strixino, S. T., do Santos, A. & Del Grande, M. Environmental diagnostics of metals and organochlorinated compounds in streams near sugar cane plantations activity (Sao Paulo state, Brazil). *Quim. Nova* **29**, 61-65 (2006).
- Coupe, R. H. & Blomquist, J. D. Water-soluble pesticides in finished water of community water supplies. *J. Am. Water Works Ass.* **96**, 56-68 (2004).
- Coupe, R. H., Henebry, M. S. & Branham, M. R. Assessing the effect of pesticides in agricultural runoff on aquatic life in the Sangamon River near Monticello, Illinois. *Water Sci. Technol.* **28**, 569-573 (1993).
- Crawford, C. G. Sampling strategies for estimating acute and chronic exposures of pesticides in streams. *J. Am. Water Works Ass.* **40**, 485-502 (2004).
- Crepeau, K. L. & Kuivila, K. M. Rice pesticide concentrations in the Colusa Basin Drain and the Sacramento River, California, 1990-1993. *J. Environ. Qual.* **29**, 926-935 (2000).
- Croll, B. T. Pesticides in surface waters and groundwaters. *J. Inst. Water Env. Man.* **5**, 389-395 (1991).
- Crossland, N. O., Shires, S. W. & Bennett, D. Aquatic toxicology of cypermethrin. III. fate and biological effects of spray deposits in freshwater adjacent to agricultural land. *Aquat. Toxicol.* **2**, 253-270 (1982).
- Curini, R. *et al.* Monitoring of pesticides in surface water: Off-line SPE followed by HPLC with UV detection and confirmatory analysis by mass spectrometry. *Chromatographia* **53**, 244-250 (2001).
- da Silva, D. M. *et al.* Organochlorine pesticides in Piracicaba river basin (Sao Paulo/

- Brazil): a survey of sediment, bivalve and fish. *Quim. Nova* **31**, 214-219 (2008).
- da Silva, D. R. O. *et al.* Pesticides monitoring in surface water of rice production areas in southern Brazil. *Ciencia Rural* **39**, 2383-2389 (2009).
- Dabrowski, J. M., Bennett, E. R., Bollen, A. & Schulz, R. Mitigation of azinphos-methyl in a vegetated stream: comparison of runoff- and spray-drift. *Chemosphere* **62**, 204-212 (2006).
- Dabrowski, J. M., Krause, A., Filary, Z. & Majchrzak, J. in *Schadstoffatlas Osteuropa - Ökologisch-chemische und ökotoxikologische Fallstudien über organische Spurenstoffe und Schwermetalle in Ost-Mitteleuropa* (eds E. Heinisch, A. Kettrup, & S. Wenzel-Klein) 213-216 (Ecomed, Landsberg (Lech), 1993).
- Dabrowski, J. M. *et al.* Runoff-related pesticide input into the Lourens River, South Africa: Basic data for exposure assessment and risk mitigation at the catchment scale. *Water Air and Soil Poll.* **135**, 265-283 (2002).
- Dalvie, M. A., Cairncross, E., Solomon, A. & London, L. Contamination of rural surface and ground water by endosulfan in farming areas of the Western Cape, South Africa. *Environ. Health* **2**, 1-15 (2003).
- Damasio, J. *et al.* Combined use of *Daphnia magna* in situ bioassays, biomarkers and biological indices to diagnose and identify environmental pressures on invertebrate communities in two Mediterranean urbanized and industrialized rivers (NE Spain). *Aquat. Toxicol.* **87**, 310-320 (2008).
- Daniels, W. M., House, W. A., Rae, J. E. & Parker, A. The distribution of micro-organic contaminants in river bed-sediment cores. *Sci. Total Environ.* **253**, 81-92 (2000).
- Darko, G., Akoto, O. & Opong, C. Persistent organochlorine pesticide residues in fish, sediments and water from Lake Bosomtwi, Ghana. *Chemosphere* **72**, 21-24 (2008).
- Davis, A. *et al.* Pesticide residues in waterways of the lower Burdekin region: challenges in ecotoxicological interpretation of monitoring data. *Australas. J. Ecotoxicol.* **14**, 89-108 (2008).
- De la Cruz, E. M. & Castillo, L. E. in *Pesticide Residues in Coastal Tropical Ecosystems - Distribution, fate and effects* (eds M. D. Taylor *et al.*) 338-373 (Taylor and Francis, London, New York, 2003).
- De La Vega-Salazar, M. Y., Martinez-Tabche, L., Macias-Garcia, C. & Diaz-Pardo, E. Methyl parathion impact on water, sediments and benthic macroinvertebrates from the Ignacio Ramirez dam, Mexico. *Toxicol. Environ. Chem.* **71**, 81-93 (1999).
- de Mora, S. *et al.* Chlorinated hydrocarbons in marine biota and coastal sediments from the Gulf and Gulf of Oman. *Mar. Pollut. Bull.* **50**, 835-849 (2005).
- de Solla, S. R., Struger, J. & McDaniel, T. V. Detection limits can influence the interpretation of pesticide monitoring data in Canadian surface waters. *Chemosphere* **86**, 565-571 (2012).
- de Souza, N. E., Rubira, A. F., Matsushita, M. & Tanamati, A. Residues of organochlorine pesticides in environmental samples (water and soils) in Maringa, Parana, Brasil. *Arq. Biol. Tecnol.* **31**, 587-594 (1988).
- de Vlaming, V. *et al.* Irrigation runoff insecticide pollution of rivers in the Imperial Valley, California (USA). *Environ. Pollut.* **132**, 213-229 (2004).
- Deka, S. C., Baruah, A. A. L. H. & Barman, N. Pesticide residues in different drinking

- water sources of Jorhat district, India. *Pestic. Res. J.* **18**, 221-224 (2006).
- Delgado-Moreno, L., Lin, K., Veiga-Nascimento, R. & Gan, J. Occurrence and toxicity of three classes of insecticides in water and sediment in two Southern California coastal watersheds. *J. Agric. Food. Chem.* **59**, 9448-9456 (2011).
- Derbalah, A. S. H., Nakatani, N. & Sakugawa, H. Distribution, seasonal pattern, flux and contamination source of pesticides and nonylphenol residues in Kurose River water, Higashi-Hiroshima, Japan. *Geochem. J.* **37**, 217-232 (2003).
- Deubert, K. H. & Kaczmarek, G. Z. in *Pesticides in Terrestrial and Aquatic Environments - Proceedings of a National Research Conference May 11-12, 1989* (ed D. L. Weigmann) 214-219 (Virginia Water Resources Research Center, Blacksburg, 1989).
- Di Marzio, W. D. *et al.* Environmental impact of insecticides applied on biotech soybean crops in relation to the distance from aquatic ecosystems. *Environ. Toxicol. Chem.* **29**, 1907-1917 (2010).
- Ding, Y., Harwood, A. D., Foslund, H. M. & Lydy, M. J. Distribution and toxicity of sediment-associated pesticides in urban and agricultural waterways from Illinois, USA. *Environ. Toxicol. Chem.* **29**, 149-157 (2010).
- Djuangsih, N. understanding the state of river basin management from an environmental toxicology perspective: an example from water pollution at Citarum river basin, west Java, Indonesia. *Sci. Total Environ. Suppl.* **1993**, 283-292 (1993).
- Domagalski, J. Pesticides and pesticide degradation products in stormwater runoff: Sacramento River Basin, California. *Water Resour. Bull.* **32**, 953-964 (1996).
- Domagalski, J. Results of a prototype surface water network design for pesticides developed for the San Joaquin River Basin, California. *J. Hydrol.* **192**, 33-50 (1997).
- Domagalski, J. L., Dubrovsky, N. M. & Kratzer, C. R. Pesticides in the San Joaquin River, California: Inputs from dormant sprayed orchards. *J. Environ. Qual.* **26**, 454-465 (1997).
- Domagalski, J. L. & Kuivila, K. M. Distributions of pesticides and organic contaminants between water and suspended sediment, San-Francisco Bay, California. *Estuaries* **16**, 416-426 (1993).
- Domagalski, J. L., Weston, D. P., Zhang, M. & Hladik, M. Pyrethroid insecticide concentrations and toxicity in streambed sediments and loads in surface waters of the San Joaquin Valley, California, USA. *Environ. Toxicol. Chem.* **29**, 813-823 (2010).
- Doong, R. A., Peng, C. K., Sun, Y. C. & Liao, P. L. Composition and distribution of organochlorine pesticide residues in surface sediments from the Wu-Shi River estuary, Taiwan. *Mar. Pollut. Bull.* **45**, 246-253 (2002a).
- Doong, R. A. *et al.* Distribution and fate of organochlorine pesticide residues in sediments from the selected rivers in Taiwan. *Chemosphere* **48**, 237-246 (2002b).
- Downing, H. F. *et al.* Effects of the agricultural pesticides atrazine, chlorothalonil, and endosulfan on South Florida microbial assemblages. *Ecotoxicology* **13**, 245-260 (2004).
- Driss, M. R. & Bouguerra, M. L. Solid Phase Extraction of Organophosphorus

- Pesticides from Water Using Capillary Gas Chromatography with Thermionic Specific Detection. *Int. J. Environ. Anal. Chem.* **65**, 1-10 (1996).
- Drozdzyński, D. Studies on residues of pesticides used in rape plants protection in surface waters of intensively exploited arable lands in Wielkopolska Province of Poland. *Ann. Agric. Environ. Med.* **15**, 231-235 (2008).
- Dubrovsky, N. M. *et al.* in *Agrochemical Fate and Movement - Perspective and Scale of Study* (eds T. R. Steinheimer, L. J. Ross, & T. D. Spittler) 306-322 (American Chemical Society, Washington, DC, 2000).
- Duffner, A., Ingwersen, J., Hugenschmidt, C. & Streck, T. Pesticide transport pathways from a sloped Litchi orchard to an adjacent tropical stream as identified by hydrograph separation. *J. Environ. Qual.* **41**, 1315-1323 (2012).
- Dujakovic, N. *et al.* Determination of pesticides in surface and ground waters by liquid chromatography-electrospray-tandem mass spectrometry. *Anal. Chim. Acta* **678**, 63-72 (2010).
- Ebise, S. & Inoue, T. Runoff characteristics of pesticides from paddy fields and reduction of risk to the aquatic environment. *Water Sci. Technol.* **45**, 127-131 (2002).
- El-Kabbany, S., Rashed, M. M. & Zayed, M. A. Monitoring of the pesticide levels in some water supplies and agricultural land, in El-Haram, Giza (ARE). *J. Hazard. Mater.* **72**, 11-21 (2000).
- El-Shahat, M. F., Al-Nawayseh, K. M., Jiries, A. G. & Alnasir, F. M. Pesticides and Heavy Metal Distribution in Southern Dead Sea Basin. *Bull. Environ. Contam. Toxicol.* **71** (2003).
- El-Shereif, M. S., Ahmed, M. T., El-Danasoury, M. A. & El-Nwishy, N. H. K. Effects of pollutants on some aquatic organisms in Tamsah lake in Egypt. *J. Fish. Aquat. Sci.* **4**, 150-160 (2009).
- Elfman, L., Tooke, N. E. & Patring, J. D. M. Detection of pesticides used in rice cultivation in streams on the island of Leyte in the Philippines. *Agric. Water Manage.* **101**, 81-87 (2011).
- Ensminger, M., Bergin, R., Spurlock, F. & Goh, K. S. Pesticide concentrations in water and sediment and associated invertebrate toxicity in Del Puerto and Orestimba Creeks, California, 2007-2008. *Environ. Monit. Assess.* **175**, 573-587 (2011).
- Eqani, S. A., Malik, R. N. & Mohammad, A. The level and distribution of selected organochlorine pesticides in sediments from River Chenab, Pakistan. *Environ. Geochem. Health* **33**, 33-47 (2011).
- Erkmen, B. & Kolankaya, D. Determination of organochlorine pesticide residues in water, sediment, and fish samples from the Meriç Delta, Turkey. *Int. J. Environ. Anal. Chem.* **86**, 161-169 (2006).
- Esfahani, A. N. *et al.* Assessment and investigation on the fate of organochlorine pesticides in water and sediments of international Amir-Kalaye wetland in north of Iran. *Bull. Environ. Contam. Toxicol.* **88**, 850-857 (2012).
- Espada, M. C. P., Frenich, A. G., Vidal, J. L. M. & Parrilla, P. Comparative study using ECD, NPD, and MS/MS chromatographic techniques in the determination of pesticides in wetland waters. *Anal. Lett.* **34**, 597-614 (2001).
- Espigares, M. *et al.* Pesticide concentrations in the waters from a section of the Guadalquivir River Basin, Spain. *Environ. Toxicol. Water Qual.* **12**, 249-256 (1997).

- Essumang, D. K., Togoh, G. K. & Chokky, L. Pesticide residues in the water and fish (*Lagoon tilapia*) samples from lagoons in Ghana. *Bull. Chem. Soc. Ethiop.* **23**, 19-27 (2009).
- Ezemonye, L. I., Ikpesu, T. O. & Tongo, I. Distribution of endosulfan in water, sediment and fish from Warri river, Niger delta, Nigeria. *Afr. J. Ecol.* **48**, 248-254 (2009).
- Fadaei, A. *et al.* Organophosphorous pesticides in surface water of Iran. *Bull. Environ. Contam. Toxicol.* **88**, 867-869 (2012).
- Faggiano, L. *et al.* Patterning ecological risk of pesticide contamination at the river basin scale. *Sci. Total Environ.* **408**, 2319-2326 (2010).
- Fagotti, A. *et al.* Bioaccumulation of organochlorine pesticides in frogs of the *Rana esculenta* complex in central Italy. *Amphibia-Reptilia* **26**, 93-104 (2005).
- Faria, M. S., Nogueira, A. J. & Soares, A. M. The use of *Chironomus riparius* larvae to assess effects of pesticides from rice fields in adjacent freshwater ecosystems. *Ecotoxicol. Environ. Saf.* **67**, 218-226 (2007).
- Fataei, E. *et al.* Heavy metal and agricultural toxics monitoring in Garasou river in Iran for water quality assessment. *Asian J. Chem.* **22**, 2991-3000 (2010).
- Fatta, D. *et al.* Pesticides, volatile and semivolatile organic compounds in the inland surface waters of Cyprus. *Desalination* **215**, 223-236 (2007).
- Favari, L., Lopez, E., Martinez-Tabche, L. & Diaz-Pardo, E. Effect of insecticides on plankton and fish of Ignacio Ramirez reservoir (Mexico): a biochemical and biomagnification study. *Ecotoxicol. Environ. Saf.* **51**, 177-186 (2002).
- Feo, M. L., Ginebreda, A., Eljarrat, E. & Barceló, D. Presence of pyrethroid pesticides in water and sediments of Ebro River Delta. *J. Hydrol.* **393**, 156-162 (2010).
- Ferencz, L. & Balog, A. A pesticide survey in soil, water and foodstuffs from central Romania. *Carpath. J. Earth Env.* **5**, 111-118 (2010).
- Fernandez-Bringas, L. M. *et al.* Organochlorine pesticides in lacustrine sediments and tilapias of Metztlán, Hidalgo, Mexico. *Rev. Biol. Trop.* **56**, 1381-1390 (2008).
- Filho, A. M., dos Santos, F. N. & Pereira, P. A. d. P. Development, validation and application of a method based on DI-SPME and GC-MS for determination of pesticides of different chemical groups in surface and groundwater samples. *Microchem. J.* **96**, 139-145 (2010).
- Filiz, N. & Kucuksezgin, F. Composition and distribution of organochlorine pesticide residues in surface sediments from Gediz and Bakircay Rivers (Eastern Aegean). *Fresenius Environ. Bull.* **17**, 744-754 (2008).
- Filizola, H. F., Ferracini, V. L., Abakerli, R. B. & Gomes, M. A. Pesticide and water quality monitoring in irrigated farming area. *Rev. Bras. Agrociên.* **11**, 245-250 (2005).
- Finizio, A., Azimonti, G. & Villa, S. Occurrence of pesticides in surface water bodies: a critical analysis of the Italian national pesticide survey programs. *J. Environ. Monit.* **13**, 49-57 (2011).
- Finlayson, B. J., Harrington, J. A., Fujimura, R. & Isaac, G. Identification of methyl parathion toxicity in Colusa Basin Drain water. *Environ. Toxicol. Chem.* **12**, 291-303 (1993).
- Finley, D. B. *et al.* in *Ecotoxicology and Risk Assessment for Wetlands* (eds M.A. Lewis *et al.*) 243-273 (Society of Environmental Toxicology and Chemistry (SETAC), Pensacola, 1999).

- Flores-Garcia, M. *et al.* Pesticide residues in drinking water of an agricultural community in the state of Merida, Venezuela. *Invest. Clin.* **52**, 295-311 (2011).
- Focazio, M. J. *et al.* A national reconnaissance for pharmaceuticals and other organic wastewater contaminants in the United States--II) untreated drinking water sources. *Sci. Total Environ.* **402**, 201-216 (2008).
- Foreman, W. T. *et al.* Use of Field-Applied Quality Control Samples to Monitor Performance of a Goulden Large-Sample Extractor/GC-MS Method for Pesticides in Water. *Int. J. Environ. Anal. Chem.* **77**, 39-62 (2000).
- Foster, G. D. *et al.* Determination of dissolved-phase pesticides in surface-water from the Yakima River Basin, Washington, using the Goulden large-sample extractor and gas-chromatography mass-spectrometry. *Environ. Sci. Technol.* **27**, 1911-1917 (1993).
- Foster, G. D. & Lippa, K. A. Fluvial loadings of selected organonitrogen and organophosphorus pesticides to Chesapeake Bay. *J. Agric. Food. Chem.* **44**, 2447-2454 (1996).
- Foster, G. D., Lippa, K. A. & Miller, C. V. Seasonal concentrations of organic contaminants at the fall line of the Susquehanna River basin and estimated fluxes to northern Chesapeake Bay, USA. *Environ. Toxicol. Chem.* **19**, 992-1001 (2000).
- Foster, G. D., Miller, C. V., Huff, T. B. & Roberts, E. Pesticides, polycyclic aromatic hydrocarbons and polychlorinated biphenyls in transport in two Atlantic coastal plain tributaries and loadings to Chesapeake Bay. *J. Environ. Sci. Heal. A* **38**, 1177-1200 (2003).
- Frank, R., Braun, H. E., Ripley, B. D. & Clegg, B. S. Contamination of rural ponds with pesticide, 1971-85, Ontario, Canada. *Bull. Environ. Contam. Toxicol.* **44**, 401-409 (1990).
- Frank, R. *et al.* Agriculture and water quality in the Canadian Great lakes basin: V. pesticide use in 11 agricultural watersheds and presence in stream water, 1975-1977. *J. Environ. Qual.* **11**, 497-505 (1982).
- Frank, R. *et al.* Organochlorine insecticides and PCB'S in sediments of Lake St. Claire (1970 and 1974) and Lake Erie (1971). *Sci. Total Environ.* **8**, 205-227 (1977).
- Frank, R. *et al.* Monitoring air, soil, stream and fish for aerial drift of permethrin. *Environ. Monit. Assess.* **16**, 137-150 (1991).
- Frank, R. & Logan, L. Pesticide and industrial chemical residues at the mouth of the Grand, Saugeen and Thames Rivers, Ontario, Canada, 1981-85. *Arch. Environ. Contam. Toxicol.* **17**, 741-754 (1988).
- Frank, R. *et al.* Survey of farm wells for pesticides residues, southern Ontario, Canada, 1981-1982, 1984. *Arch. Environ. Contam. Toxicol.* **16**, 1-8 (1987).
- Frank, R. *et al.* Organochlorine residues in suspended solids collected from the mouths of Canadian streams flowing into the Great Lakes 1974-1977. *J. Great Lakes Res.* **7**, 363-381 (1981).
- Frank, R. *et al.* Organochlorine insecticides and PCB in surficial sediments (1968) and sediment cores (1976) from lake Ontario. *J. Great Lakes Res.* **5**, 18-27 (1979a).
- Frank, R. *et al.* Organochlorine insecticides and PCB in the sediments of Lake Huron (1969) and Georgian Bay and North Channel (1973). *Sci. Total Environ.* **13**, 101-117 (1979b).

- Friberg, N., Lindstrom, M., Kronvang, B. & Larsen, S. E. Macroinvertebrate/sediment relationships along a pesticide gradient in Danish streams. *Hydrobiologia* **494**, 103-110 (2003).
- Fulton, M. H. *et al.* Surface water pesticide movement from the Dade County agricultural area to the Everglades and Florida Bay via the C-111 canal. *Bull. Environ. Contam. Toxicol.* **73**, 527-534 (2004).
- Fulton, M. H. *et al.* Assessment of risk reduction strategies for the management of agricultural nonpoint source pesticide runoff in estuarine ecosystems. *Toxicol. Ind. Health* **15**, 200-213 (1999).
- Furtula, V., Derksen, G. & Colodey, A. Application of automated mass spectrometry deconvolution and identification software for pesticide analysis in surface waters. *J. Environ. Sci. Heal. B* **41**, 1259-1271 (2006).
- Fytianos, K. Study of organophosphorus pesticide residues in water and sediment samples of Thermaikos Gulf, Greece. *Fresenius Environ. Bull.* **4**, 401-406 (1995).
- Fytianos, K. *et al.* Distribution of organochlorine pesticides in surface water and sediments in Lake Volvi (northern Greece). *Int. J. Environ. Anal. Chem.* **86**, 109-118 (2006a).
- Fytianos, K., Pitarakis, K. & Bobola, E. Monitoring of N-methylcarbamate pesticides in the Pinios River (central Greece) by HPLC. *Int. J. Environ. Anal. Chem.* **86**, 131-145 (2006b).
- Gad, N. S. Impact of environmental pollution in the southern region of lake Manzalah Egypt on some biochemical parameters of *Tilapia Zillii*. *J. Egypt. Ger. Soc. Zool.* **48A**, 279-298 (2005).
- Gajbhiye, V. T., Karla, N., Mohapatra, S. P. & Agnohotri, M. P. Non-point pollution of Ganga river with pesticides: a quantitative approach. *J. Environ. Sys.* **24**, 95-110 (1995).
- Galassi, S. Organophosphorus compounds in the river Po and in the northern Adriatic. *Toxicol. Environ. Chem.* **31-32**, 291-296 (1991).
- Galassi, S. *et al.* Toxicological and chemical characterization of organic micropollutants in river Po waters (Italy). *Water Res.* **26**, 19-27 (1992).
- Galindo Reyes, J. G. *et al.* Contaminacion por plaguicidas en agua, sedimentos, camaron y almeja, de dos ecosistemas costeros de Sinaloa, Mexico. *Trop. Ecol.* **33**, 172-180 (1992).
- Galindo, R. J. G., Medina, J. M. A., Villagrana, L. C. & Ibarra, C. L. Environmental and pollution condition of the Huizache-Caimanero Lagoon, in the north-west of Mexico. *Mar. Pollut. Bull.* **34**, 1072-1077 (1997).
- Galindo-Reyes, J. G., Fossato, V. U., Villagrana-Lizarraga, C. & Dolci, F. Pesticides in water, sediments, and shrimp from a coastal lagoon off the Gulf of California. *Mar. Pollut. Bull.* **38**, 837-841 (1999a).
- Galindo-Reyes, J. G., Villagrana, L. C. & Alvarez, G. L. Environmental conditions and pesticide pollution of two coastal ecosystems in the gulf of California, Mexico. *Ecotoxicol. Environ. Saf.* **44**, 280-286 (1999b).
- Gan, J. *et al.* Distribution and persistence of pyrethroids in runoff sediments. *J. Environ. Qual.* **34**, 836-841 (2005).
- Ganzelmeier, H. *et al.* Gewässerschonender Pflanzenschutz zur Erhaltung gewachsener Obstbaulandschaften in Deutschland. *J. Cult. Plants* **64**, 41-61

- (2012).
- Gao, J. *et al.* The organic contamination survey and health risk assessment of 16 source water reservoirs in Haihe River basin. *Water Sci. Technol.* **65**, 998-1006 (2012).
- Gao, J. *et al.* The occurrence and spatial distribution of organophosphorous pesticides in Chinese surface water. *Bull. Environ. Contam. Toxicol.* **82**, 223-229 (2009).
- Getenga, Z. M., Keng'ara, F. O. & Wandiga, S. O. Determination of organochlorine pesticide residues in soil and water from River Nyando drainage system within Lake Victoria Basin, Kenya. *Bull. Environ. Contam. Toxicol.* **72**, 335-343 (2004).
- Gfrerer, M., Wenzl, T. & Lankmayr, E. Multi-residue Analysis of 66 Biocides in River Water, River Sediment and Suspended Solids Samples by Gas Chromatography-Mass Spectrometry. *Int. J. Environ. Anal. Chem.* **83**, 111-125 (2003).
- Giddings, J. M., Hall, L. W. & Solomon, K. R. Ecological risks of diazinon from agricultural use in the Sacramento-San Joaquin River Basins, California. *Risk Anal.* **20**, 545-572 (2000).
- Giesy, J. P. *et al.* Chlorpyrifos: Ecological risk assessment in North American aquatic environments. *Rev. Environ. Contamin. Toxicol.* **160**, 1-129 (1999).
- Giger, W. *et al.* Environmental analytical research in Northern Vietnam - A Swiss-Vietnamese cooperation focusing on arsenic and organic contaminants in aquatic environments and drinking water. *Chimia* **57**, 529-536 (2003).
- Gill, S. L., Spurlock, F. C., Goh, K. S. & Ganapathy, C. Vegetated ditches as a management practice in irrigated alfalfa. *Environ. Monit. Assess.* **144**, 261-267 (2008).
- Gillet, H. Residues in water: several active materials of some concern. *Cultivar* **308**, 36-38 (1991).
- Gilliom, R. J. & Clifton, D. G. Organochlorine pesticide-residues in bed sediments of the San-Joaquin River, California. *Water Resour. Bull.* **26**, 11-24 (1990).
- Giordano, A. *et al.* Pesticide residue determination in surface waters by stir bar sorptive extraction and liquid chromatography/tandem mass spectrometry. *Anal. Bioanal. Chem.* **393**, 1733-1743 (2009).
- Giordano, A., Richter, P. & Ahumada, I. Determination of pesticides in river water using rotating disk sorptive extraction and gas chromatography-mass spectrometry. *Talanta* **85**, 2425-2429 (2011).
- Golfinopoulos, S. K. *et al.* Organochlorine pesticides in the surface waters of Northern, Greece. *Chemosphere* **50**, 507-516 (2003).
- Gomez-Gomez, C. *et al.* Monitoring of organophosphorous insecticides in the Guadalete river (southern Spain). *Bull. Environ. Contam. Toxicol.* **55**, 431-438 (1995).
- Gomez-Gutierrez, A. I. *et al.* Organic contaminant loads into the Western Mediterranean Sea: estimate of Ebro River inputs. *Chemosphere* **65**, 224-236 (2006).
- Gonzales-Farias, F. in *Pesticide Residues in Coastal Tropical Ecosystems. Distribution, fate and effects* (eds M. D. Taylor *et al.*) 311-337 (Taylor & Francis, London, 2003).
- Gonzalez, M. *et al.* Surface and groundwater pollution by organochlorine compounds in a typical soybean system from the south Pampa, Argentina. *Environ. Earth Sci.* **65**, 481-491 (2012).

- Gonzalez-Farias, F. *et al.* Pesticides distribution in sediments of a tropical coastal lagoon adjacent to an irrigation district in northwest Mexico. *Environ. Technol.* **23**, 1247-1256 (2002).
- Goodman, L. R. *et al.* Preliminary survey of chemical contaminants in water, sediment, and aquatic biota at selected sites in northeastern Florida bay and canal C-111. *Gulf Mex. Sci.* **17**, 1-16 (1999).
- Gorbach, S., Haaring, R., Knauf, W. & Werner, H.-J. Residue analyses in the water system of East-Java (River Brantas, ponds, sea water) after continued large-scale application of thiodan in rice. *Bull. Environ. Contam. Toxicol.* **6**, 40-47 (1971).
- Gormley, K. L., Teather, K. L. & Guignion, D. L. Changes in salmonid communities associated with pesticide runoff events. *Ecotoxicology* **14**, 671-678 (2005).
- Grabe, S. A. & Barron, J. Sediment contamination, by habitat, in the Tampa Bay estuarine system (1993-1999): PAHs, pesticides and PCBs. *Environ. Monit. Assess.* **91**, 105-144 (2004).
- Graves, G. A., Wan, Y. S. & Fike, D. L. Water quality characteristics of storm water from major land uses in South Florida. *J. Am. Water Resour. As.* **40**, 1405-1419 (2004).
- Greve, P. A., Freudenthal, J. & Wit, S. L. Potentially hazardous substances in surface waters II. cholinesterase inhibitors in Dutch surface waters. *Sci. Total Environ.* **1**, 253-265 (1972).
- Griffini, O. *et al.* Occurrence of pesticides in the Arno River and in potable water - A survey of the period 1992-1995. *Bull. Environ. Contam. Toxicol.* **59**, 202-209 (1997).
- Gruber, S. J. & Munn, M. D. Organophosphate and carbamate insecticides in agricultural waters and cholinesterase (ChE) inhibition in common carp (*Cyprinus carpio*). *Arch. Environ. Contam. Toxicol.* **35**, 391-396 (1998).
- Grützmacher, D. D. *et al.* Monitoring of pesticides in two water sources in southern Brazil. *Rev. Bras. Eng. Agríc. Ambient.* **12**, 632-637 (2008).
- Guo, L., Kelley, K. & Goh, K. S. Evaluation of sources and loading of pesticides to the Sacramento River, California, USA, during a storm event of winter. *Environ. Toxicol. Chem.* **26**, 2274-2281 (2007).
- Guo, L. *et al.* Characterizing dependence of pesticide load in surface water on precipitation and pesticide use for the Sacramento River watershed. *Environ. Sci. Technol.* **38**, 3842-3852 (2004).
- Gupta, G. *et al.* Seasonal distribution of pesticides and metals residues in water bodies collected from different locations of Kalubia Governorate, Egypt. *Ann. Agri. Sci.* **48**, 373-387 (2003).
- Guzella, L. & Mingazzini, M. Biological assaying of organic compounds in surface waters *Water Sci. Technol.* **30**, 113-124 (1994).
- Hadfield, S. T. *et al.* Pyrethroid residues in sediment and water samples from mesocosm and farm pond studies of simulated accidental aquatic exposure. *Pestic. Sci.* **38**, 283-294 (1993).
- Haldar, P. *et al.* Studies on the residues of DDT and endosulfan occurring in Ganga water. *Indian J. Environ. Health* **31**, 156-161 (1989).
- Hall, L. W. Historical analysis of diazinon from the San Joaquin river watershed with

- implications for exceeding water quality targets. *Calif. Fish Game* **89**, 1-19 (2003a).
- Hall, L. W. Analysis of diazinon monitoring data from the Sacramento and Feather River watersheds: 1991-2001. *Environ. Monit. Assess.* **86**, 233-253 (2003b).
- Hall, L. W. & Anderson, R. D. Parametric and probabilistic analysis of historical chlorpyrifos surface water monitoring data from the San Joaquin River watershed: 1991-2001. *Water Air Soil Poll.* **150**, 275-298 (2003).
- Hall, L. W., Anderson, R. D. & Killen, W. D. Mapping the Spatial Extent of Depositional Areas in Agricultural, Urban, and Residential California Streams: Implications for Pyrethroid Toxicity. *Hum. Ecol. Risk Assess.* **18**, 368-392 (2012).
- Hamdy, Y. & Post, L. Distribution of mercury, trace organics, and other heavy metals in Detroit river sediments. *J. Great Lakes Res.* **11**, 353-365 (1985).
- Harman-Fetcho, J. A. *et al.* Pesticide occurrence in selected South Florida canals and Biscayne bay during high agricultural activity. *J. Agric. Food. Chem.* **53**, 6040-6048 (2005).
- Harman-Fetcho, J. A., McConnell, L. L. & Baker, J. E. Agricultural pesticides in the Patuxent River, a tributary of the Chesapeake Bay. *J. Environ. Qual.* **28**, 928-938 (1999).
- Harris, K. A. *et al.* Partitioning of current-use and legacy pesticides in salmon habitat in British Columbia, Canada. *Environ. Toxicol. Chem.* **27**, 2253-2262 (2008).
- Harris, M. L. *et al.* The functional integrity of northern leopard frog (*Rana pipiens*) and green frog (*Rana clamitans*) populations in orchard wetlands. I. Genetics, physiology, and biochemistry of breeding adults and young-of-the-year. *Environ. Toxicol. Chem.* **17**, 1338-1350 (1998).
- Harris, M. L., Chora, L., Bishop, C. A. & Bogart, J. P. Species- and Age-Related Differences in Susceptibility to Pesticide Exposure for Two Amphibians, *Rana pipiens*, and *Bufo americanus*. *Bull. Environ. Contam. Toxicol.* **64**, 263-270 (2000).
- Hatakeyama, S. & Shiraishi, H. Biomonitoring with shrimp to detect seasonal change in river water toxicity. *Environ. Toxicol. Chem.* **17**, 687-694 (1998).
- Hatakeyama, S., Shiraishi, H. & Sugaya, Y. Monitoring of the overall pesticide toxicity of river water to aquatic organisms using a freshwater shrimp, *Paratya-Compressa Improvisa*. *Chemosphere* **22**, 229-235 (1991).
- Hatakeyama, S., Shiraishi, H. & Uno, S. Overall pesticide effects on growth and emergence of two species of Ephemeroptera in a model stream carrying pesticide-polluted river water. *Ecotoxicology* **6**, 167-180 (1997).
- He, L., Song, J., Yu, C. & Peng, P. Characterization of free and bound organochlorine pesticides in four soil/sediments of the Pearl River Delta, China. *Environ. Sci.* **29**, 3462-3468 (2008a).
- He, L. M., Troiano, J., Wang, A. & Goh, K. Environmental chemistry, ecotoxicity, and fate of lambda-cyhalothrin. *Rev. Environ. Contamin. Toxicol.* **195**, 71-91 (2008b).
- Heath, A. G. *et al.* Physiological responses of fathead minnow larvae to rice pesticides. *Ecotoxicol. Environ. Saf.* **37**, 280-288 (1997).
- Hela, D. G. *et al.* Application of solid-phase extraction disks followed by gas chromatography with mass spectrometry and flame thermionic detector to the determination of pesticide residues in environmental waters. *Fresenius Environ.*

- Bull.* **9**, 535-543 (2000).
- Hela, D. G., Lambropoulou, D. A., Konstantinou, A. K. & Albanis, T. A. Environmental monitoring and ecological risk assessment for pesticide contamination and effects in Lake Pamvotis, northwestern Greece. *Environ. Toxicol. Chem.* **24**, 1548-1556 (2005).
- Hellou, J. *et al.* Comparison of the partitioning of pesticides relative to the survival and behaviour of exposed amphipods. *Ecotoxicology* **18**, 27-33 (2009).
- Hernandez, F., Serrano, R., Miralles, M. C. & Font, N. Gas and liquid chromatography and enzyme linked immune sorbent assay in pesticide monitoring of surface water from the Western Mediterranean (Comunidad Valenciana, Spain). *Chromatographia* **42**, 151-158 (1996).
- Hernandez, S., Palchetti, I. & Mascini, M. Determination of anticholinesterase activity for pesticides monitoring using a thiocholine sensor. *Int. J. Environ. Anal. Chem.* **78**, 263-278 (2000).
- Hernandez-Romero, A. H., Tovilla-Hernandez, C., Malo, E. A. & Bello-Mendoza, R. Water quality and presence of pesticides in a tropical coastal wetland in southern Mexico. *Mar. Pollut. Bull.* **48**, 1130-1141 (2004).
- Herzel, F. Organochlorine insecticides in surface waters in Germany - 1970 and 1971. *Pest. Monit. J.* **6**, 179-187 (1972).
- Hill, A. S. *et al.* Development and application of laboratory and field immunoassays for chlorpyrifos in water and soil matrices. *J. Agric. Food. Chem.* **42**, 2051-2058 (1994).
- Hirano, C. Persistence of diazinon in water of paddy field and in a stream receiving paddy field water. *Jpn. J. Appl. Entomol. Z.* **25**, 191-193 (1981).
- Hladik, M. L., Domagalski, J. L. & Kuivila, K. M. Concentrations and loads of suspended sediment-associated pesticides in the San Joaquin River, California and tributaries during storm events. *Sci. Total Environ.* **408**, 356-364 (2009).
- Hladik, M. L. & Kuivila, K. M. in *Synthetic Pyrethroids. Occurrence and Behavior in Aquatic Environments* (eds J. Gan, F. Spurlock, P. Hendley, & D. Weston) 55-71 (American Chemical Society, Washington, DC, 2008).
- Hladik, M. L. & Kuivila, K. M. Assessing the occurrence and distribution of pyrethroids in water and suspended sediments. *J. Agric. Food. Chem.* **57**, 9079-9085 (2009).
- Hladik, M. L. & Kuivila, K. M. Pyrethroid insecticides in bed sediments from urban and agricultural streams across the United States. *J. Environ. Monit.* **14**, 1838-1845 (2012).
- Hladik, M. L., Smalling, K. L. & Kuivila, K. M. A multi-residue method for the analysis of pesticides and pesticide degradates in water using HLB solid-phase extraction and gas chromatography-ion trap mass spectrometry. *Bull. Environ. Contam. Toxicol.* **80**, 139-144 (2008).
- Höcker, B., Redlich, D. & Parlar, H. Monitoring of the insecticide imidacloprid in a low land river. *Fresenius Environ. Bull.* **7**, 699-703 (1998).
- Hong, S. H. *et al.* Nationwide monitoring of polychlorinated biphenyls and organochlorine pesticides in sediments from coastal environment of Korea. *Chemosphere* **64**, 1479-1488 (2006).
- Hope, B. K. Using legacy data to relate biological condition to cumulative aquatic toxicity in the Willamette River Basin (Oregon, USA). *Arch. Environ. Contam. Toxicol.* **62**,

- 424-437 (2012).
- Hose, G. C., Hyne, R. V. & Lim, R. P. Toxicity of endosulfan to *Atalophlebia* spp. (ephemeroptera) in the laboratory, mesocosm, and field. *Environ. Toxicol. Chem.* **22**, 3062-3068 (2003).
- Hose, G. C. & Wilson, S. P. Toxicity of endosulfan to *Paratya australiensis* Kemp (Decapoda: Atyidae) and *Jappa kutera* Harker (Ephemeroptera: Leptophlebiidae) in field-based tests. *Bull. Environ. Contam. Toxicol.* **75**, 882-889 (2005).
- House, W. A., Farr, I. S. & Orr, D. R. The occurrence of synthetic pyrethroid and selected organochlorine pesticides in river sediments. *BCPC Mono.* **47**, 183-192 (1991).
- House, W. A., Rae, J. E. & Kimblin, R. T. in *Brighton Crop Protection Conference: Pests and Diseases - 1992* (ed British Crop Protection Council) 865-870 (British Crop Protection Council, Farnham, UK, 1992).
- Huang, H., Ou, W. H. & Wang, L. S. Semivolatile organic compounds, organochlorine pesticides and heavy metals in sediments and risk assessment in Huaihe River of China. *J. Environ. Sci.-China* **18**, 236-241 (2006a).
- Huang, H., Xiao, Q. & Wang, L. Residues and risk evaluation of organochlorine pesticides in sediments from Huaihe river. *Res. Environ. Sci.* **21**, 41-45 (2008).
- Huang, S. B., Qiao, M., Wang, H. & Wang, Z. J. Organochlorinated pesticides in surface sediments of Meiliang bay in Taihu Lake, China. *J. Environ. Sci. Heal. A* **41**, 223-234 (2006b).
- Hung, C. C. *et al.* Relationships between pesticides and organic carbon fractions in sediments of the Danshui River estuary and adjacent coastal areas of Taiwan. *Environ. Pollut.* **148**, 546-554 (2007).
- Hunt, J. *et al.* Use of toxicity identification evaluations to determine the pesticide mitigation effectiveness of on-farm vegetated treatment systems. *Environ. Pollut.* **156**, 348-358 (2008).
- Hunt, J. W. *et al.* Ambient toxicity due to chlorpyrifos and diazinon in a central California coastal watershed. *Environ. Monit. Assess.* **82**, 83-112 (2003).
- Hunt, J. W. *et al.* Patterns of aquatic toxicity in an agriculturally dominated coastal watershed in California. *Agr. Ecosyst. Environ.* **75**, 75-91 (1999).
- Hunt, J. W. *et al.* Spatial relationships between water quality and pesticide application rates in agricultural watersheds. *Environ. Monit. Assess.* **121**, 245-262 (2006).
- Hwang, H. M., Green, P. G. & Holmes, R. W. Anthropogenic impacts on the quality of streambed sediments in the lower Sacramento River watershed, California. *J. Environ. Sci. Heal. A* **44**, 1-11 (2009).
- Hyne, R. V. *et al.* Comparison of time-integrated pesticide concentrations determined from field-deployed passive samplers with daily river-water extractions. *Environ. Toxicol. Chem.* **23**, 2090-2098 (2004).
- Iram, S. *et al.* Analysis of pesticides residues of Rawal and Simly lakes. *Pak. J. Bot.* **41**, 1981-1987 (2009).
- Iwafune, T. *et al.* Behavior of paddy pesticides and major metabolites in the Sakura River, Ibaraki, Japan. *J. Pestic. Sci.* **35**, 114-123 (2010).
- Iwafune, T., Yokoyama, A., Nagai, T. & Horio, T. Evaluation of the risk of mixtures of paddy insecticides and their transformation products to aquatic organisms in the Sakura River, Japan. *Environ. Toxicol. Chem.* **30**, 1834-1842 (2011).

- Iwakuma, T., Shiraishi, H., Nohara, S. & Takamura, K. Runoff properties and change in concentrations of agricultural pesticides in a river system during a rice cultivation period. *Chemosphere* **27**, 677-691 (1993).
- Janghel, E. K., Rai, J. K., Rai, M. K. & Gupta, V. K. A new sensitive spectrophotometric determination of cypermethrin insecticide in environmental and biological samples. *J. Brazil. Chem. Soc.* **18**, 590-594 (2007).
- Jemec, A. *et al.* Comparative toxicity of imidacloprid, of its commercial liquid formulation and of diazinon to a non-target arthropod, the microcrustacean *Daphnia magna*. *Chemosphere* **68**, 1408-1418 (2007).
- Jergentz, S., Mugni, H., Bonetto, C. & Schulz, R. Runoff-Related Endosulfan Contamination and Aquatic Macroinvertebrate Response in Rural Basins Near Buenos Aires, Argentina. *Arch. Environ. Contam. Toxicol.* **46** (2004).
- Jergentz, S., Mugni, H., Bonetto, C. & Schulz, R. Assessment of insecticide contamination in runoff and stream water of small agricultural streams in the main soybean area of Argentina. *Chemosphere* **61**, 817-826 (2005).
- Jimenez, B., Molto, J. C. & Font, G. Influence of dissolved humic material and ionic-strength on C8 extraction of pesticides from water. *Chromatographia* **41**, 318-324 (1995).
- Jimenez, J. J., Bernal, J. L., del Nozal, M. J. & Rivera, J. M. Determination of pesticide residues in waters from small loughs by solid-phase extraction and combined use of gas chromatography with electron-capture and nitrogen-phosphorus detection and high-performance liquid chromatography with diode array detection. *J. Chromatogr. A* **778**, 289-300 (1997).
- Jofre, M. B., Anton, R. I. & Caviedes-Vidal, E. Organochlorine contamination in anuran amphibians of an artificial lake in the semiarid midwest of Argentina. *Arch. Environ. Contam. Toxicol.* **55**, 471-480 (2008).
- Johnson, W. E., Hall, L. W., Anderson, R. D. & Rice, C. P. in *Agrochemical Fate and Movement. Perspective and Scale of Study* (eds T. R. Steinheimer, L. J. Ross, & T. D. Spittler) 95-114 (American Chemical Society, Washington, DC, 2000).
- Johnston, W. R., Ittihadi, Ft, Craig, K. R. & Pillsbur, Af. Insecticides in tile drainage effluent. *Water Resour. Res.* **3**, 525-537 (1967).
- Kabashima, J. N. *et al.* in *Pesticide Decontamination and Detoxification* (eds J. J. Gan, P. C. Zhu, S. D. Aust, & A. T. Lemley) 213-230 (American Chemical Society, Washington, DC, 2004).
- Kadoum, A. M. & Mock, D. E. Herbicide and insecticide residues in tailwater pits - water and pit bottom soil from irrigated corn and sorghum fields. *J. Agric. Food. Chem.* **26**, 45-50 (1978).
- Kahanovitch, Y. & Lahav, N. Occurrence of pesticides in selected water sources in Israel. *Environ. Sci. Technol.* **8**, 762-765 (1974).
- Kameya, T., Yamazaki, K., Kobayashi, T. & Fujie, K. Ecological assessment of water quality by three-species- acute toxicity test and GC/MS analysis - a case study of agricultural drains. *J. Water Env. Tech.* **8**, 223-230 (2010).
- Kammerbauer, J. & Moncada, J. Pesticide residue assessment in three selected agricultural production systems in the Choluteca River Basin of Honduras. *Environ. Pollut.* **103**, 171-181 (1998).
- Kampioti, A. A., Borba da Cunha, A. C., Lopez de Alda, M. & Barcelo, D. Fully

- automated multianalyte determination of different classes of pesticides, at picogram per litre levels in water, by on-line solid-phase extraction-liquid chromatography-electrospray-tandem mass spectrometry. *Anal. Bioanal. Chem.* **382**, 1815-1825 (2005).
- Kannan, V. & Job, S. V. Studies on the residual levels of pesticide pollution in the Sathiar reservoir. *J. Radioanal. Chem.* **53**, 247-253 (1979).
- Kanno, A. *et al.* Cholinesterase-inhibiting potentials of amberlite XAD-2 resin extracts collected from River and drinking waters in northwest district of Chiba Prefecture, Japan. *J. Health Sci.* **56**, 664-674 (2010).
- Kanzari, F. *et al.* Aliphatic hydrocarbons, polycyclic aromatic hydrocarbons, polychlorinated biphenyls, organochlorine, and organophosphorous pesticides in surface sediments from the Arc river and the Berre lagoon, France. *Environ. Sci. Pollut. Res. Int.* **19**, 559-576 (2012).
- Karaouzas, I., Lambropoulou, D. A., Skoulikidis, N. T. & Albanis, T. A. Levels, sources and spatiotemporal variation of nutrients and micropollutants in small streams of a Mediterranean River basin. *J. Environ. Monit.* **13**, 3064-3074 (2011).
- Kathpal, T. S., Rani, S., Kumari, B. & Prasad, G. Magnitude of pesticide contamination of sediment and water of Keoladeo National Park lake, Bharatpur. *Pest. Res. J.* **16**, 75-77 (2004).
- Kaushik, C. P., Sharma, H. R. & Kaushik, A. Organochlorine pesticide residues in drinking water in the rural areas of Haryana, India. *Environ. Monit. Assess.* **184**, 103-112 (2012).
- Kawakami, T. *et al.* Monitoring of cholinesterase-inhibiting activity in water from the Tone canal, Japan, as a biomarker of ecotoxicity. *Ecotoxicology* **17**, 221-228 (2008).
- Kawamoto, T. & Makihata, N. Development of a simultaneous analysis method for carbofuran and its three derivative pesticides in water by GC/MS with temperature programmable inlet on-column injection. *Anal. Sci.* **19**, 1605-1610 (2003).
- Kawamoto, T., Makihata, N., Tsuji, H. & Teranishi, K. Annual variation in the concentration levels and frequency of detection of pesticides in water sources in Hyogo prefecture. *J. Health Sci.* **45**, 401-411 (1999).
- Kawata, K., Asada, T., Oikawa, K. & Tanabe, A. Multiresidue determination of pesticides in sediment by ultrasonically assisted extraction and gas chromatography/mass spectrometry. *J. AOAC Int.* **88**, 1440-1451 (2005).
- Kennedy, I. R. *et al.* Off-site movement of endosulfan from irrigated cotton in New South Wales. *J. Environ. Qual.* **30**, 683-696 (2001).
- Key, P. B., Fulton, M. H., Harman-Fetcho, J. A. & McConnell, L. L. Acetylcholinesterase Activity in Grass Shrimp and Aqueous Pesticide Levels from South Florida Drainage Canals. *Arch. Environ. Contam. Toxicol.* **45** (2003).
- Khalili-Zanjani, M. R., Yamini, Y., Yazdanfar, N. & Shariati, S. Extraction and determination of organophosphorus pesticides in water samples by a new liquid phase microextraction-gas chromatography-flame photometric detection. *Anal. Chim. Acta* **606**, 202-208 (2008).
- Khan, M. A., Hashmi, O. I., Kazmi, Q. B. & Khan, M. A. Pesticide pollution of Gharao creek: a preliminary study. *Pak. J. Mar. Sci.* **13**, 11-20 (2004).
- Kikuchi, M., Sasaki, Y. & Wakabayashi, M. Screening of organophosphate insecticide

- pollution in water by using *Daphnia magna*. *Ecotoxicol. Environ. Saf.* **47**, 239-245 (2000).
- Kikuchi, M. & Wakabayashi, M. Monitoring the biological effects of chemicals in river water using *Daphnia magna*. *Nippon Suisan Gakk.* **63**, 627-633 (1997).
- Kimbrough, R. A. & Litke, D. W. Pesticides in streams draining agricultural and urban areas in Colorado. *Environ. Sci. Technol.* **30**, 908-916 (1996).
- Kinani, S. *et al.* Bioanalytical characterisation of multiple endocrine- and dioxin-like activities in sediments from reference and impacted small rivers. *Environ. Pollut.* **158**, 74-83 (2010).
- Klecka, G., Persoon, C. & Currie, R. Chemicals of emerging concern in the Great Lakes Basin: an analysis of environmental exposures. *Rev. Environ. Contam. Toxicol.* **207**, 1-93 (2010).
- Klosterhaus, S. L., DiPinto, L. A. & Chandler, G. T. A comparative assessment of azinphosmethyl bioaccumulation and toxicity in two estuarine meiobenthic harpacticoid copepods. *Environ. Toxicol. Chem.* **22**, 2960-2968 (2003).
- Knight, S. S. & Cooper, C. M. Insecticide and metal contamination of a mixed cover agricultural watershed. *Water Sci. Technol.* **33**, 227-234 (1996).
- Knight, S. S. *et al.* Mississippi oxbow lake sediment quality during an artificial flood. *Bull. Environ. Contam. Toxicol.* **82**, 496-500 (2009).
- Knight, S. S., Lizotte, R. E., Smith, S. & Bryant, C. T. Response of *Hyalella azteca* to chronic exposure of Mississippi delta sediments. *J. Environ. Sci. Eng.* **4**, 1-12 (2010).
- Köck, M. *et al.* Integrated ecotoxicological and chemical approach for the assessment of pesticide pollution in the Ebro River delta (Spain). *J. Hydrol.* **383**, 73-82 (2010).
- Kock-Schulmeyer, M. *et al.* Analysis of the occurrence and risk assessment of polar pesticides in the Llobregat River Basin (NE Spain). *Chemosphere* **86**, 8-16 (2012).
- Kole, R. K. & Bagchi, M. M. Pesticide residues in the aquatic environment and their possible ecological hazards. *J. Inland Fish. Soc. India* **27**, 79-89 (1995).
- Kolpin, D. W. *et al.* Pharmaceuticals, hormones, and other organic wastewater contaminants in US streams, 1999-2000: A national reconnaissance. *Environ. Sci. Technol.* **36**, 1202-1211 (2002).
- Kookana, R. S., Baskaran, S. & Naidu, R. Pesticide fate and behaviour in Australian soils in relation to contamination and management of soil and water: a review. *Aust. J. Soil Res.* **36**, 715-764 (1998).
- Korth, W. *et al.* Toxicity of rice and maize pesticides to *Ceriodaphnia sp.*: Implications for management of irrigation drainage water in Australia. *Australas. J. Ecotoxicol.* **1**, 55-62 (1995).
- Kotake, M. & Toyota, I. Influence of rain on pesticide runoff from paddy field to stream. *Res. Bull. Aichi-Ken Agric. Res. Cent.* **25**, 69-79 (1993).
- Kratzer, C. R. Transport of diazinon in the San Joaquin river basin, California. *J. Am. Water Resour. As.* **35**, 379-395 (1999).
- Kreuger, J. Pesticides in stream water within an agricultural catchment in southern Sweden, 1990-1996. *Sci. Total Environ.* **216**, 227-251 (1998).
- Kreuger, J., Peterson, M. & Lundgren, E. Agricultural inputs of pesticide residues to stream and pond sediments in a small catchment in southern Sweden. *Bull.*

- Environ. Contam. Toxicol.* **62**, 55-62 (1999).
- Kreuger, J. K. & Brink, N. in *Pesticides: Food and Environmental Implications*. (ed IAEA) 101-112 (International Atomic Energy Agency, Vienna, 1988).
- Kroger, R., Moore, M. T. & Brandt, J. R. Current- and past-use pesticide prevalence in drainage ditches in the Lower Mississippi Alluvial Valley. *Pest. Manag. Sci.* **68**, 303-312 (2012).
- Kronvang, B., Laubel, A., Larsen, S. E. & Friberg, N. Pesticides and heavy metals in Danish streambed sediment. *Hydrobiologia* **494**, 93-101 (2003).
- Kuang, Z. H. *et al.* Atmospheric deposition of pesticides to an agricultural watershed of the Chesapeake Bay. *J. Environ. Qual.* **32**, 1611-1622 (2003).
- Kuivila, K. M. & Foe, C. G. Concentrations, transport and biological effects of dormant spray pesticides in the San-Francisco estuary, California. *Environ. Toxicol. Chem.* **14**, 1141-1150 (1995).
- Kuivila, K. M. & Jennings, B. E. Input, flux, and persistence of six select pesticides in San Francisco Bay. *Int. J. Environ. Anal. Chem.* **87**, 897-911 (2007).
- Kumar, S., Singh, K. P. & Gopal, K. Organochlorine residues in rural drinking-water sources of northern and north eastern India. *J. Environ. Sci. Heal. A* **30**, 1211-1222 (1995).
- Kumari, A. & Sinha, R. K. Concentration of organochlorine pesticide residues in Ganga water in Bihar, India. *Environ. & Ecol.* **19**, 351-356 (2001).
- Kuo, J. N. *et al.* Agricultural pesticide residues of farm runoff in the Okanagan Valley, British Columbia, Canada. *J. Environ. Sci. Health. B* **47**, 250-261 (2012).
- Kuranchie-Mensah, H. *et al.* Determination of organochlorine pesticide residue in sediment and water from the Densu river basin, Ghana. *Chemosphere* **86**, 286-292 (2012).
- Kuroda, K., Yamaguchi, Y. & Endo, G. Mitotic toxicity, sister chromatid exchange, and rec assay of pesticides. *Arch. Environ. Contam. Toxicol.* **23**, 13-18 (1992).
- Kuster, M. *et al.* Analysis of 17 polar to semi-polar pesticides in the Ebro river delta during the main growing season of rice by automated on-line solid-phase extraction-liquid chromatography-tandem mass spectrometry. *Talanta* **75**, 390-401 (2008).
- Laabs, V. *et al.* Pesticides in surface water, sediment, and rainfall of the northeastern Pantanal basin, Brazil. *J. Environ. Qual.* **31**, 1636-1648 (2002).
- Lalah, J. O., Yugi, P. O., Jumba, I. O. & Wandiga, S. O. Organochlorine pesticide residues in Tana and Sabaki rivers in Kenya. *Bull. Environ. Contam. Toxicol.* **71**, 298-307 (2003).
- Lambropoulou, D., Sakellarides, T. & Albanis, T. Determination of organophosphorus insecticides in natural waters using SPE-disks and SPME followed by GG/FTD and GC/MS. *Fresenius J. Anal. Chem.* **368**, 616-623 (2000).
- Lambropoulou, D. A. & Albanis, T. A. Optimization of headspace solid-phase microextraction conditions for the determination of organophosphorus insecticides in natural waters. *J. Chromatogr. A* **922**, 243-255 (2001).
- Lambropoulou, D. A., Sakkas, V. A. & Albanis, T. A. Validation of an SPME method, using PDMS, PA, PDMS-DVB, and CW-DVB SPME fiber coatings, for analysis of organophosphorus insecticides in natural waters. *Anal. Bioanal. Chem.* **374**, 932-941 (2002a).

- Lambropoulou, D. A., Sakkas, V. A., Hela, D. G. & Albanis, T. A. Application of solid-phase microextraction in the monitoring of priority pesticides in the Kalamas River (NW Greece). *J. Chromatogr. A* **963**, 107-116 (2002b).
- Lamers, M. *et al.* Pesticide Pollution in Surface- and Groundwater by Paddy Rice Cultivation: A Case Study from Northern Vietnam. *CLEAN - Soil, Air, Water* **39**, 356-361 (2011).
- Lao, W. J. *et al.* in *Synthetic Pyrethroids. Occurrence and Behavior in Aquatic Environments* (eds J. Gan, F. Spurlock, P. Hendley, & D. Weston) 428-446 (American Chemical Society, Washington, DC, 2008).
- Lartiges, S. B. & Garrigues, P. Gas chromatographic analysis of organophosphorus and organonitrogen pesticides with different detectors. *Analisis* **23**, 418-421 (1995).
- Leadprathom, N. *et al.* Transport and deposition of organochlorine pesticides from farmland to estuary under tropical regime and their potential risk to aquatic biota. *J. Environ. Sci. Health B* **44**, 249-261 (2009).
- Leard, R. L., Grantham, B. J. & Pessoney, G. F. Use of selected fresh-water bivalves for monitoring organochlorine pesticide-residues in major Mississippi stream systems, 1972-73. *Pest. Monit. J.* **14**, 47-52 (1980).
- LeBlanc, L. A. & Kuivila, K. M. Occurrence, distribution and transport of pesticides into the Salton Sea Basin, California, 2001–2002. *Hydrobiologia* **604**, 151-172 (2008).
- Lehotay, S. J., Harman-Fetcho, J. A. & McConnell, L. L. Agricultural pesticide residues in oysters and water from two Chesapeake Bay tributaries. *Mar. Pollut. Bull.* **37**, 32-44 (1998).
- Leight, A. K., Scott, G. I., Fulton, M. H. & Daugomah, J. W. Long term monitoring of grass shrimp *Palaemonetes* spp. population metrics at sites with agricultural runoff influences. *Integr. Comp. Biol.* **45**, 143-150 (2005).
- Leistra, M., Tuinstra, L. G. M. T., Vanderburg, A. M. M. & Crum, S. J. H. Contribution of leaching of diazinon, parathion, tetrachlorvinphos and triazophos from glasshouse soils to their concentrations in water courses. *Chemosphere* **13**, 403-413 (1984).
- Lekkas, T. *et al.* Evaluation of the pollution of the surface waters of Greece from the priority compounds of list II, 76/464/EEC directive, and other toxic compounds. *Environ. Int.* **30**, 995-1007 (2004).
- Lenardon, A. M. *et al.* Organochlorine and organophosphorous pesticides in the Parana River (Argentina). *Sci. Total Environ.* **34**, 289-297 (1984).
- Lenardon, A. M. L., Lorenzatti, E. A. & Enrique, S. N. Monitoreo de insecticidas organoclorados y organofosforados en el Rio Parana (km 600). *Pesticidas: Rev. Ecotox. Meio Amb. Curitiba* **8**, 57-66 (1998).
- LeNoir, J. S. *et al.* Summertime transport of current-use pesticides from California's Central Valley to the Sierra Nevada Mountain Range, USA. *Environ. Toxicol. Chem.* **18**, 2715-2722 (1999).
- Leonard, A. W., Hyne, R. V., Lim, R. P. & Chapman, J. C. Effect of endosulfan runoff from cotton fields on macroinvertebrates in the Namoi River. *Ecotoxicol. Environ. Saf.* **42**, 125-134 (1999).
- Leonard, A. W. *et al.* Fate and toxicity of endosulfan in Namoi River water and bottom sediment. *J. Environ. Qual.* **30**, 750-759 (2001).
- Leonard, R. A. in *Pesticides in the Soil Environment: Processes, Impacts, and Modelling*

- (ed H. H. Cheng) 303-349 (Soil Science of America, Madison, Wi, 1990).
- Leong, K. H., Tan, L. L. B. & Mustafa, A. M. Contamination levels of selected organochlorine and organophosphate pesticides in the Selangor River, Malaysia between 2002 and 2003. *Chemosphere* **66**, 1153-1159 (2007).
- Leoni, V., Puccetti, G., Colombo, R. J. & Dovidio, A. M. Use of tenax for extraction of pesticides and polychlorinated biphenyls from water .2. tests with artificially polluted and natural-waters. *J. Chromatogr.* **125**, 399-407 (1976).
- Leung, A. M., McDonough, D. M. & West, C. D. Determination of endosulfans in soil/ sediment samples from Point Mugu, Oxnard, CA using capillary gas chromatography mass selective detection (GC/MSD). *Environ. Monit. Assess.* **50**, 85-94 (1998).
- Li, H., Tyler Mehler, W., Lydy, M. J. & You, J. Occurrence and distribution of sediment-associated insecticides in urban waterways in the Pearl River Delta, China. *Chemosphere* **82**, 1373-1379 (2011).
- Li, P. C., Swanson, E. J. & Gobas, F. A. Diazinon and its degradation products in agricultural water courses in British Columbia, Canada. *Bull. Environ. Contam. Toxicol.* **69**, 59-65 (2002).
- Li, X., Zhong, M. & Chen, J. Electrodeposited polyaniline as a fiber coating for solid-phase microextraction of organochlorine pesticides from water. *J. Sep. Sci.* **31**, 2839-2845 (2008).
- Li, X. D. *et al.* Distribution of Organochlorine Pesticides in a Sediment Profile of the Pearl River Estuary. *Bull. Environ. Contam. Toxicol.* **67**, 0871-0880 (2001).
- Liess, M. *et al.* Determination of insecticide contamination in agricultural headwater streams. *Water Res.* **33**, 239-247 (1999).
- Liess, M., Schulz, R. & Neumann, M. A method for monitoring pesticides bound to suspended particles in small streams. *Chemosphere* **32**, 1963-1969 (1996).
- Liess, M. & von der Ohe, P. C. Analyzing effects of pesticides on invertebrate communities in streams. *Environ. Toxicol. Chem.* **24**, 954-965 (2005).
- Lisker, E. B., Ensminger, M. P., Gill, S. L. & Goh, K. S. Detections of eleven organophosphorus insecticides and one herbicide threatening Pacific salmonids, *Oncorhynchus* spp., in California, 1991-2010. *Bull. Environ. Contam. Toxicol.* **87**, 355-360 (2011).
- Liu, B., McConnell, L. L. & Torrents, A. Herbicide and insecticide loadings from the Susquehanna River to the northern Chesapeake Bay. *J. Agric. Food. Chem.* **50**, 4385-4392 (2002).
- Liu, L. *et al.* Application of DLLME to the Determination of Pyrethroids in Aqueous Samples. *Chromatographia* **72**, 1017-1020 (2010).
- Liu, W. P. & Gan, J. J. Determination of enantiomers of synthetic pyrethroids in water by solid phase microextraction - Enantioselective gas chromatography. *J. Agric. Food. Chem.* **52**, 736-741 (2004).
- Liu, W. P., Gan, J. J., Lee, S. & Kabashima, J. N. Phase distribution of synthetic pyrethroids in runoff and stream water. *Environ. Toxicol. Chem.* **23**, 7-11 (2004).
- Lizotte, R. E., Knight, S. S. & Bryant, C. T. Sediment quality assessment of Beasley Lake: bioaccumulation and effects of pesticides in *Hyalella azteca*. *Chem. Ecol.* **26**, 411-424 (2010b).
- Lizotte, R. E., Jr., Knight, S. S., Bryant, C. T. & Smith, S., Jr. Agricultural pesticides in

- Mississippi Delta oxbow lake sediments during autumn and their effects on *Hyalella azteca*. *Arch. Environ. Contam. Toxicol.* **57**, 495-503 (2009).
- Lizotte, R. E., Jr., Knight, S. S. & Cooper, C. M. Toxicity evaluation of a conservation effects assessment program watershed, Beasley Lake, in the Mississippi Delta, USA. *Bull. Environ. Contam. Toxicol.* **84**, 422-426 (2010a).
- Loewy, R. M., Monza, L. B., Kirs, V. E. & Savini, M. C. Pesticide distribution in an agricultural environment in Argentina. *J. Environ. Sci. Heal. B* **46**, 662-670 (2011).
- Long, J. L. A., House, W. A., Parker, A. & Rae, J. E. Micro-organic compounds associated with sediments in the Humber rivers. *Sci. Total Environ.* **210**, 229-253 (1998).
- Ludvigsen, G. H. & Lode, O. Results from "JOVA" - The agricultural and environmental monitoring program of pesticides in Norway 1995-1999. *Fresenius Environ. Bull.* **10**, 470-474 (2001).
- Magara, Y., Aizawa, T., Matumoto, N. & Souna, F. Degradation of pesticides by chlorination during water-purification. *Water Sci. Technol.* **30**, 119-128 (1994).
- Maguire, R. J., Kuntz, K. W. & Hale, E. J. Chlorinated hydrocarbons in the surface microlayer of the Niagara river. *J. Great Lakes Res.* **9**, 281-286 (1983).
- Maguire, R. J. & Tkacz, R. J. Occurrence of pesticides in the Yamaska river, Quebec. *Arch. Environ. Contam. Toxicol.* **25**, 220-226 (1993).
- Mahboob, S. *et al.* Determination of organochlorine and nitrogen containing pesticide residues in water, sediments and fish samples by reverse phase high performance liquid chromatography. *Agric. Sci. Technol.* **10**, 9-12 (2009).
- Malik, A., Ojha, P. & Singh, K. P. Levels and distribution of persistent organochlorine pesticide residues in water and sediments of Gomti River (India)--a tributary of the Ganges River. *Environ. Monit. Assess.* **148**, 421-435 (2009).
- Mamun, M. I. *et al.* Development and validation of a multiresidue method for determination of 82 pesticides in water using GC. *J. Sep. Sci.* **32**, 559-574 (2009).
- Manirakiza, P. *et al.* Assessment of organochlorine pesticide residues in West African city farms: Banjul and Dakar case study. *Arch. Environ. Contam. Toxicol.* **44**, 171-179 (2003).
- Mansingh, A., Robinson, D. E. & Dalip, K. M. Insecticide contamination of the Jamaican environment. *TRAC-Trend. Anal. Chem.* **16**, 115-123 (1997).
- Mansingh, A., Robinson, D. E., Henry, C. & Lawrence, V. Pesticide contamination of Jamaican environment. II. Insecticide residues in the rivers and shrimps of Rio Cobre basin, 1982-1996. *Environ. Monit. Assess.* **63**, 459-480 (2000).
- Mansingh, A., Robinson, D. E. & Wilson, A. Insecticide contamination of the Jamaican environment I. Pattern fluctuations in residue levels in the rivers of Hope watershed (1989 - 1991). *Jamaic. J. Sci. Tech.* **6**, 52-67 (1995).
- Mansingh, A. & Wilson, A. Insecticide contamination of Jamaican environment III. Baseline studies on the status of insecticidal pollution of Kingston Harbor. *Mar. Pollut. Bull.* **30**, 640-645 (1995).
- Mansour, S. A. & Sidky, M. M. Ecotoxicological studies. 6. The first comparative study between Lake Qarun and Wadi El-Rayan wetland (Egypt), with respect to contamination of their major components. *Food Chem.* **82**, 181-189 (2003).

- Marchesan, E. *et al.* Residues of pesticides in the water of the depression central rivers in the State of Rio Grande do Sul, Brazil. *Cienc. Rural* **40**, 1053-1059 (2010).
- Marin, J. M. *et al.* Application of ultra-high-pressure liquid chromatography-tandem mass spectrometry to the determination of multi-class pesticides in environmental and wastewater samples. Study of matrix effects. *J. Chromatogr. A* **1216**, 1410-1420 (2009).
- Marino, D. & Ronco, A. Cypermethrin and chlorpyrifos concentration levels in surface water bodies of the Pampa Ondulada, Argentina. *Bull. Environ. Contam. Toxicol.* **75**, 820-826 (2005).
- Marku, E. & Nuro, A. Chlorinated pesticides in the sediments and fish species of Shkodra lake. *J. Environ. Prot. Ecol.* **6**, 539-549 (2005).
- Marques, P. R. B. D. O. *et al.* Analysis of pesticides in environmental samples (water and sediments) of the Boa Esperanca Barrage: Brazil - Pi/Ma: preliminary avaluation. *Pesticidas: Rev. Ecotoxicol. Meio Amb. Curitiba* **12**, 13-30 (2002).
- Masis, F., Valdez, J., Coto, T. & Leon, S. Agrochemical residues in rivers sediments, Poas, Costa Rica. *Agron. Costarric.* **31**, 113-123 (2008).
- Maskaoui, K. *et al.* Organochlorine micropollutants in the Jiulong River Estuary and Western Xiamen Sea, China. *Mar. Pollut. Bull.* **51**, 950-959 (2005).
- Matamoros, V., Jover, E. & Bayona, J. M. Part-per-trillion determination of pharmaceuticals, pesticides, and related organic contaminants in river water by solid-phase extraction followed by comprehensive two-dimensional gas chromatography time-of-flight mass spectrometry. *Anal. Chem.* **82**, 699-706 (2010).
- Matamoros, V. & Salvado, V. Evaluation of the seasonal performance of a water reclamation pond-constructed wetland system for removing emerging contaminants. *Chemosphere* **86**, 111-117 (2012).
- Matsushita, M., Rubira, A. F. & de Souza, N. E. Persistent organochlorine pesticide residues in water, sediments and water hyacinth *Eichhornia crassipes* from the floodplain of high Parana river, Porto Rico region, Brazil. *Arq. Biol. Tecnol.* **39**, 701-714 (1996).
- Mattern, G. C., Louis, J. B. & Rosen, J. D. Multipesticide determination in surface water by gas-chromatography chemical ionization mass spectrometry ion trap detection. *J. Assoc. Off. Ana. Chem.* **74**, 982-986 (1991).
- Mawussi, G., Sanda, K., Merlina, G. & Pinelli, E. Assessment of average exposure to organochlorine pesticides in southern Togo from water, maize (*Zea mays*) and cowpea (*Vigna unguiculata*). *Food Addit. Contam. Part A Chem. Anal. Control Expo. Risk Assess.* **26**, 348-354 (2009).
- McConnell, L. L. *et al.* Agricultural pesticides and selected degradation products in five tidal regions and the main stem of Chesapeake Bay, USA. *Environ. Toxicol. Chem.* **26**, 2567-2578 (2007).
- McLeay, M. J. & Hall, K. J. Monitoring agricultural drainage ditches and the receiving water (Nicomekl River, Surrey, BC) for toxicity to *Ceriodaphnia dubia* and probable cause due to organophosphate contamination. *Water Qual. Res. J. Can.* **34**, 423-453 (1999).
- Meli, S. M., Capri, E. & Gennari, M. Exposure of surface water bodies to chlorpyrifos and chlorpyrifos-methyl in the Mediterranean area. *Fresenius Environ. Bull.* **16**,

- 50-56 (2007).
- Melluso, G. *et al.* Distribution of inorganic and organic pollutants in river sediments in Campania, Italy. *Bull. Environ. Contam. Toxicol.* **52**, 13-18 (1994).
- Menezes, J. M. *et al.* Water quality and its spatial relation with sources of natural and human contamination: Sao Domingos river basin, Rio de Janeiro state, Brazil. *Eng. Agric.* **29**, 687-698 (2009).
- Menone, M. L. *et al.* Organochlorine pesticides and PCBs in a southern Atlantic coastal lagoon watershed, Argentina. *Arch. Environ. Contam. Toxicol.* **40**, 355-362 (2001).
- Menone, M. L. *et al.* Field accumulative behavior of organochlorine pesticides. The role of crabs and sediment characteristics in coastal environments. *Mar. Pollut. Bull.* **52**, 1717-1724 (2006).
- Menone, M. L. *et al.* The role of burrowing beds and burrows of the SW Atlantic intertidal crab *Chasmagnathus granulata* in trapping organochlorine pesticides. *Mar. Pollut. Bull.* **48**, 240-247 (2004).
- Miglioranza, K. S. B., de Moreno, J. E. & Moreno, V. J. Land-based sources of marine pollution: organochlorine pesticides in stream systems. *Environ. Sci. & Pollut. Res.* **11**, 227-232 (2004a).
- Miglioranza, K. S., de Moreno, J. E. A. & Moreno, V. J. Organochlorine pesticides sequestered in the aquatic macrophyte *Schoenoplectus californicus* (C.A. Meyer) Sojak from a shallow lake in Argentina. *Water Res.* **38**, 1765-1772 (2004b).
- Miles, C. J. & Pfeuffer, R. J. Pesticides in canals of south Florida. *Arch. Environ. Contam. Toxicol.* **32**, 337-345 (1997).
- Miles, J. R. & Harris, C. R. Insecticide residues in a stream and a controlled drainage system in agricultural areas of southwestern Ontario, 1970. *Pestic. Monit. J.* **5**, 289-294 (1971).
- Miles, J. R. & Harris, C. R. Pesticides in water: organochlorine insecticide residues in streams draining agricultural, urban-agricultural, and resort areas of Ontario, Canada--1971. *Pestic. Monit. J.* **6**, 363-368 (1973).
- Miles, J. R. & Harris, C. R. Insecticide residues in water, sediment, and fish of the drainage system of the Holland Marsh, Ontario, Canada. *J. Econ. Entomol.* **71**, 125-131 (1978).
- Miles, J. R. W. Insecticide residues on stream sediments in Ontario, Canada. *Pestic. Monit. J.* **10**, 87-91 (1976).
- Miliadis, G. E. Organochlorine and organophosphorus pesticide residues in the water of the Pinios river, Greece. *Bull. Environ. Contam. Toxicol.* **54**, 837-840 (1995).
- Miliadis, G. E. & Malatou, P. T. Monitoring of the pesticide levels in natural waters of Greece. *Bull. Environ. Contam. Toxicol.* **59**, 917-923 (1997).
- Miller, C. W., Tomlinson, W. E. & Norgren, R. L. Persistence and movement of parathion in irrigation waters. *Pestic. Monit. J.* **1**, 47-48 (1967).
- Miltner, R. J., Baker, D. B., Speth, T. F. & Fronk, C. A. Treatment of seasonal pesticides in surface waters. *J. Am. Water Works Ass.* **81**, 43-52 (1989).
- Miranda, K., Cunha, M. L., Dores, E. F. & Calheiros, D. F. Pesticide residues in river sediments from the Pantanal wetland, Brazil. *J. Environ. Sci. Health B* **43**, 717-722 (2008).
- Mishra, A. K., Pandey, S. & Pal, A. Environmental deterioration through organochlorine

- pesticide residues in aquatic biodiversity of Gomati river in district Jaunpur (India). *Asian J. Environ. Sci.* **3**, 75-78 (2008).
- Misra, U. *et al.* Pesticide residues in water of Kumaon region of Uttaranchal. *J. Vet. Publ. Health* **1**, 153-156 (2003).
- Mitobe, H. *et al.* Variation of pesticides in a river flowing through paddy fields area. *J. Environ. Chem.* **9**, 311-320 (1999).
- Mize, S. V., Porter, S. D. & Demcheck, D. K. Influence of fipronil compounds and rice-cultivation land-use intensity on macroinvertebrate communities in streams of southwestern Louisiana, USA. *Environ. Pollut.* **152**, 491-503 (2008).
- Mohapatra, S. P., Gajbhiye, V. T., Agnihotri, N. P. & Raina, M. Insecticide pollution of Indian rivers. *The Environmentalist* **15**, 41-44 (1995).
- Mohr, S. *et al.* Macroinvertebrate community response to repeated short-term pulses of the insecticide imidacloprid. *Aquat. Toxicol.* **110-111**, 25-36 (2012).
- Mollahosseini, A. & Noroozian, E. Polyphosphate-doped polypyrrole coated on steel fiber for the solid-phase microextraction of organochlorine pesticides in water. *Anal. Chim. Acta* **638**, 169-174 (2009).
- Molto, J. C., Pico, Y., Font, G. & Manes, J. Determination of triazines and organophosphorus pesticides in water samples using solid-phase extraction. *J. Chromatogr.* **555**, 137-145 (1991).
- Montanes, J. F. C. *et al.* Estimated inputs of organochlorines from the river Ebro into the northwestern Mediterranean. *Mar. Pollut. Bull.* **21**, 518-523 (1990).
- Monteoliva, M. & Augustin, C. Contamination by pesticides in surface waters in the province of Granada. *An. Edafol. Agrobiol.* **44**, 1767-1783 (1985).
- Montes, A. M., Gonzalez-Farias, F. A. & Botello, A. V. Pollution by organochlorine pesticides in Navachiste-Macapule, Sinaloa, Mexico. *Environ. Monit. Assess.* **184**, 1359-1369 (2012).
- Moore, M. T. *et al.* Diazinon mitigation in constructed wetlands: influence of vegetation. *Water, Air, Soil Pollut.* **184**, 313-321 (2007a).
- Moore, M. T. *et al.* Survival and growth of *Hyalella azteca* exposed to three Mississippi oxbow lake sediments. *Bull. Environ. Contam. Toxicol.* **72**, 777-783 (2004).
- Moore, M. T. *et al.* Assessment of pesticide contamination in three Mississippi Delta oxbow lakes using *Hyalella azteca*. *Chemosphere* **67**, 2184-2191 (2007b).
- Moore, M. T. *et al.* Mitigation of chlorpyrifos runoff using constructed wetlands. *Chemosphere* **46**, 827-835 (2002).
- Moraes, R., Elfvendahl, S., Kylin, H. & Molander, S. Pesticide residues in rivers of a Brazilian rain forest reserve: Assessing potential concern for effects on aquatic life and human health. *Ambio* **32**, 258-263 (2003).
- Moreira, M. R. S., Mucci, J. L. N. & Abakerli, R. B. Monitoring of carbofuran residues in a rice-producing area - Taubate, Sao Paulo. *Arq. Inst. Biol.* **71**, 221-226 (2004).
- Morrison, R. J., Harrison, N. & Gangaiya, P. Organochlorine contaminants in the estuarine and coastal marine environments of the Fiji Islands. *Environ. Pollut.* **93**, 159-167 (1996).
- Mortensen, S. R. *et al.* Avian exposure to pesticides in Costa Rican banana plantations. *Bull. Environ. Contam. Toxicol.* **60**, 562-568 (1998).
- Mörtl, M., Maloschik, E., Juracsek, J. & Szekacs, A. Pesticide contamination in surface water and soil in Hungary. *Növényterm* **59**, 263-266 (2010).

- Mugni, H., Ronco, A. & Bonetto, C. Insecticide toxicity to *Hyalella curvispina* in runoff and stream water within a soybean farm (Buenos Aires, Argentina). *Ecotoxicol. Environ. Saf.* **74**, 350-354 (2011).
- Muir, D. C. G., Teixeira, C. & Wania, F. Empirical and modelling evidence of regional atmospheric transport of current-use pesticides. *Environ. Toxicol. Chem.* **23**, 2421-2432 (2004).
- Muller, J. F. *et al.* Pesticides in sediments from Queensland irrigation channels and drains. *Mar. Pollut. Bull.* **41**, 294-301 (2000).
- Munn, M. D. & Gruber, S. J. The relationship between land use and organochlorine compounds in streambed sediment and fish in the Central Columbia Plateau, Washington and Idaho, USA. *Environ. Toxicol. Chem.* **16**, 1877-1887 (1997).
- Musa, S., Gichuki, J. W., Raburu, P. O. & Aura, C. M. Organochlorine and organophosphorus pesticide residues in water and sediment from Yala/Nzoia River within Lake Victoria Basin, Kenya. *J. Ecol. Nat. Env.* **3**, 392-399 (2011a).
- Musa, S., Gichuki, J. W., Raburu, P. O. & Aura, C. M. Risk assessment for organochlorines and organophosphates pesticide residues in water and Sediments from lower Nyando/Sondu-Miriu river within Lake Victoria Basin, Kenya. *Lakes Reserv.: Res. Manage.* **16**, 273-280 (2011b).
- Muschal, M. Applications of solvent-filled polyethylene bags as passive samplers of pesticides in rivers. *Australas. J. Ecotoxicol.* **5**, 141-148 (1999).
- Muschal, M. & Warne, M. S. Risk posed by pesticides to aquatic organisms in rivers of northern inland New South Wales, Australia. *Hum. Ecol. Risk Assess.* **9**, 1765-1787 (2003).
- Muttray, A. *et al.* Haemocytic leukemia in Prince Edward Island (PEI) soft shell clam (*Mya arenaria*): spatial distribution in agriculturally impacted estuaries. *Sci. Total Environ.* **424**, 130-142 (2012).
- Mwanthi, M. A. Occurrence of three pesticides in community water supplies, Kenya. *Bull. Environ. Contam. Toxicol.* **60**, 601-608 (1998).
- Na, T. *et al.* The status of pesticide residues in the drinking water sources in Meiliangwan Bay, Taihu Lake of China. *Environ. Monit. Assess.* **123**, 351-370 (2006).
- Napier, G. M., Fairweather, P. G. & Scott, A. C. Records of fish kills in inland waters of NSW & Queensland in relation to cotton pesticides. *Wetlands (Australia)* **17**, 60-71 (1998).
- Nasehi, F. & Fataei, E. Measurement of residue levels of agro-chemicals in water and sediment of Aras River. *J. Food Agric. Environ.* **10**, 933-936 (2012).
- Nasrabadi, T. *et al.* Impact of major organophosphate pesticides used in agriculture to surface water and sediment quality (Southern Caspian Sea basin, Haraz River). *Environ. Earth Sci.* **63**, 873-883 (2010).
- Natale, O. E., Gomez, C. E., D'Angelo, A. M. P. & Soria, C. A. in *Hazardous Waste: Detection, Control, Treatment Part A* (ed Abbou, R.) 879-907 (Elsevier Science, Amsterdam, 1988).
- Navarro, A., Tauler, R., Lacorte, S. & Barceló, D. Occurrence and transport of pesticides and alkylphenols in water samples along the Ebro River Basin. *J. Hydrol.* **383**, 18-29 (2010).
- Navarro-Ortega, A., Tauler, R., Lacorte, S. & Barceló, D. Occurrence and transport of

- PAHs, pesticides and alkylphenols in sediment samples along the Ebro River Basin. *J. Hydrol.* **383**, 5-17 (2010).
- Nayak, A. K., Raha, P., Das, A. K. & Raha, R. Organochlorine pesticide residues in middle stream of the Ganga River, India. *Bull. Environ. Contam. Toxicol.* **54**, 68-75 (1995).
- Neamtu, C. S., Stefan, S. & Bors, A. Transfer and translocation of organochlorine pesticide residues in an agricultural area of Romania. *Int. J. Environ. Waste Manag.* **5**, 114-124 (2010).
- Neumann, M. *et al.* The significance of entry routes as point and non-point sources of pesticides in small streams. *Water Res.* **36**, 835-842 (2002).
- Ng, C. M., Weston, D. P., You, J. & Lydy, M. J. in *Synthetic Pyrethroids. Occurrence and Behavior in Aquatic Environments* (eds J. Gan, F. Spurlock, P. Hendley, & D. Weston) 355-369 (American Chemical Society, Washington, DC, 2008).
- Nicholson, H. P. *et al.* Insecticide contamination in a farm pond I. origin and duration. *Trans. Am. Fish. Soc.* **91**, 213-217 (1962).
- Nicosia, S., Carr, N., Gonzales, D. A. & Orr, M. K. Off-field movement and dissipation of soil-incorporated carbofuran from 3 commercial rice fields. *J. Environ. Qual.* **20**, 532-539 (1991).
- Nohara, S., Hanazato, T. & Iwakuma, T. Pesticide residue flux from rainwater into lake Nakanuma in the rainy season. *Jap. J. Limnol.* **58**, 385-393 (1997).
- Nohara, S. & Iwakuma, T. Residual pesticides and their toxicity to freshwater shrimp in the littoral and pelagic zones of Lake Kasumigaura, Japan. *Chemosphere* **33**, 1417-1424 (1996a).
- Nohara, S. & Iwakuma, T. Pesticide residues in water and an aquatic plant, *Nelumbo nucifera*, in a river mouth at Lake Kasumigaura, Japan. *Chemosphere* **33**, 1409-1416 (1996b).
- Norberg-King, T. J., Durhan, E. J., Ankley, G. T. & Robert, E. Application of toxicity identification evaluation procedures to the ambient waters of the Colusa basin drain, California. *Environ. Toxicol. Chem.* **10**, 891-900 (1991).
- Norum, U. *et al.* Behavioural changes in three species of freshwater macroinvertebrates exposed to the pyrethroid lambda-cyhalothrin: laboratory and stream microcosm studies. *Aquat. Toxicol.* **98**, 328-335 (2010).
- Ntow, W. J. Organochlorine Pesticides in Water, Sediment, Crops, and Human Fluids in a Farming Community in Ghana. *Arch. Environ. Contam. Toxicol.* **40**, 557-563 (2001).
- Ntow, W. J. Pesticide residues in Volta lake, Ghana. *Lakes Reserv.: Res. Manage.* **10**, 243-248 (2005).
- Ntow, W. J. *et al.* The Impact of Agricultural Runoff on the Quality of Two Streams in Vegetable Farm Areas in Ghana. *J. Environ. Qual.* **37**, 696 (2008).
- Nwankwoala, A. U. & Osibanjo, O. Baseline levels of selected organochlorine pesticide residues in surface waters in Ibadan (Nigeria) by electron capture gas chromatography. *Sci. Total Environ.* **119**, 179-190 (1992).
- Nyangababo, J. T., Henry, L. & Omutange, E. Organochlorine pesticide contamination in surface water, sediment, and air precipitation of Lake Victoria Basin, East Africa. *Bull. Environ. Contam. Toxicol.* **75**, 960-967 (2005).
- Ochiai, N., Sasamoto, K., Kanda, H. & Pfannkoch, E. Sequential stir bar sorptive

- extraction for uniform enrichment of trace amounts of organic pollutants in water samples. *J. Chromatogr. A* **1200**, 72-79 (2008).
- Ogunfowokan, A. O., Oyekunle, J. A. O. & Akanni, M. S. A study on persistent organochlorine pesticide residues in fish tissues and water from an agricultural fish pond. *Emir. J. Food Agric.* **24**, 165-184 (2012).
- Oh, Y. J., Jung, Y. J., Kang, J. W. & Yoo, Y. S. Investigation of the estrogenic activities of pesticides from Pal-dang reservoir by in vitro assay. *Sci. Total Environ.* **388**, 8-15 (2007).
- Okeniyia, S. O., Egwaikhideb, P. A., Akporhonorc, E. E. & Obazed, I. E. Distribution of organochlorine and polychlorinated pesticide residue in water bodies of some rivers in northern Nigeria. *Electron. J. Environ. Agric. Food Chem.* **8**, 1269-1274 (2009).
- Oliver, D. P. *et al.* Off-site transport of pesticides in dissolved and particulate forms from two land uses in the Mt. Lofty Ranges, South Australia. *Agric. Water Manage.* **106**, 78-85 (2012a).
- Oliver, D. P. *et al.* Off-site transport of pesticides from two horticultural land uses in the Mt. Lofty Ranges, South Australia. *Agric. Water Manage.* **106**, 60-69 (2012b).
- Ondarza, P. M., Gonzalez, M., Fillmann, G. & Miglioranza, K. S. Increasing levels of persistent organic pollutants in rainbow trout (*Oncorhynchus mykiss*) following a mega-flooding episode in the Negro River basin, Argentinean Patagonia. *Sci. Total Environ.* **419**, 233-239 (2012).
- Osafo-Acquaah, S. in *Environmental Behaviour of Crop Protection Chemicals. Proceedings of a Symposium Vienna, 1-5 July 1996 jointly organized by IEAE and FAO* (ed IAEA) 471-478 (International Atomic Energy Agency, Vienna, 1997).
- Osfor, M. M., Abd el Wahab, A. M. & el Dessouki, S. A. Occurrence of pesticides in fish tissues, water and soil sediment from Manzala Lake and River Nile. *Nahrung* **42**, 39-41 (1998).
- Osman, R., Saim, N., Juahir, H. & Abdullah, M. P. Chemometric application in identifying sources of organic contaminants in Langat river basin. *Environ. Monit. Assess.* **184**, 1001-1014 (2012).
- Osuna-Flores, I. & Riva, M. C. Organochlorine pesticide residues in shrimps, sediments, and surface water from bay of Ohuira, Topolobambo, Sinaloa, Mexico. *Bull. Environ. Contamin. Toxicol.* **68**, 532-539 (2002).
- Osuna-Flores, I. & Riva, M. C. Organophosphorous pesticides in shrimps, sediments and surface water from bay of Ohuira, Topolobambo, Sinaloa, Mexico. *Afinidad* **61**, 387-392 (2004).
- Otieno, P. O. *et al.* Soil and water contamination with carbofuran residues in agricultural farmlands in Kenya following the application of the technical formulation Furadan. *J. Environ. Sci. Health B* **45**, 137-144 (2010).
- Otieno, P. O. *et al.* Spatial distribution and temporal trend in concentration of carbofuran, diazinon and chlorpyrifos ethyl residues in sediment and water in Lake Naivasha, Kenya. *Bull. Environ. Contam. Toxicol.* **88**, 526-532 (2012).
- Ownby, D. R., Trimble, T. A., Cole, K. A. & Lydy, M. J. Pesticide Residues in Water, Sediment, and Fish at the Sparta, IL, USA, National Guard Armory. *Bull. Environ. Contam. Toxicol.* **73**, 802-809 (2004).
- Palma, P. *et al.* Risk assessment of representative and priority pesticides, in surface

- water of the Alqueva reservoir (South of Portugal) using on-line solid phase extraction-liquid chromatography-tandem mass spectrometry. *Environ. Int.* **35**, 545-551 (2009).
- Palma, P. *et al.* Acute toxicity of atrazine, endosulfan sulphate and chlorpyrifos to *Vibrio fischeri*, *Thamnocephalus platyurus* and *Daphnia magna*, relative to their concentrations in surface waters from the Alentejo region of Portugal. *Bull. Environ. Contam. Toxicol.* **81**, 485-489 (2008).
- Pandit, G. G. *et al.* Monitoring of organochlorine pesticide residues in the Indian marine environment. *Chemosphere* **44**, 301-305 (2001).
- Papadopoulou-Mourkidou, E. *et al.* The potential of pesticides to contaminate the groundwater resources of the Axios river basin in Macedonia, Northern Greece. Part I. Monitoring study in the north part of the basin. *Sci. Total Environ.* **321**, 127-146 (2004a).
- Papadopoulou-Mourkidou, E. *et al.* The potential of pesticides to contaminate the groundwater resources of the Axios river basin. Part II. Monitoring study in the south part of the basin. *Sci. Total Environ.* **321**, 147-164 (2004b).
- Parent, L. M., Delorenzo, M. E. & Fulton, M. H. Effects of the synthetic pyrethroid insecticide, permethrin, on two estuarine fish species. *J. Environ. Sci. Health B* **46**, 615-622 (2011).
- Parreira, F. V., Paniago, E. B., De Carvalho, C. R. & Afonso, R. J. D. C. F. Evaluation of the presence of n-methylcarbamate pesticides and degradation products in waters of Para de Minas (MG) region in Brazil. *Pesticidas: Rev. Ecotoxicol. Meio Amb. Curitiba* **11**, 77-92 (2001).
- Pathak, S. P. *et al.* Riverine pollution in some northern and north eastern states of India. *Environ. Monit. Assess.* **22**, 227-236 (1992).
- Patsias, J. & Papadopoulou-Mourkidou, E. Rapid method for the analysis of a variety of chemical classes of pesticides in surface and ground waters by off-line solid-phase extraction and gas chromatography ion trap mass spectrometry. *J. Chromatogr. A* **740**, 83-98 (1996).
- Pazou, E. Y. *et al.* Organochlorine and organophosphorous pesticide residues in the Oueme River catchment in the Republic of Benin. *Environ. Int.* **32**, 616-623 (2006).
- Peluso, F., Grosman, F. & Castelain, J. G. Health risk by organochlorine pesticides in waters of an Argentine pampean shallow lake. *Acta Bioquim. Clin. L.* **43**, 233-240 (2009).
- Peng, X. *et al.* The vertical variations of hydrocarbon pollutants and organochlorine pesticide residues in a sediment core in Lake Taihu, East China. *Geochem.: Explor. Environ., Anal.* **5**, 99-104 (2005).
- Pennington, P. L. *et al.* Analysis of pesticide runoff from mid-Texas estuaries and risk assessment implications for marine phytoplankton. *J. Environ. Sci. Health B* **36**, 1-14 (2001).
- Pereira, W. E. *et al.* Occurrence and accumulation of pesticides and organic contaminants in river sediment, water and clam tissues from the San Joaquin River and tributaries, California. *Environ. Toxicol. Chem.* **15**, 172-180 (1996).
- Pereira, W. E. & Hostettler, F. D. Nonpoint source contamination of the Mississippi river and its tributaries by herbicides. *Environ. Sci. Technol.* **27**, 1542-1552 (1993).

- Perez, J. R. *et al.* Assessment of water quality in the Alqueva Reservoir (Portugal) using bioassays. *Environ. Sci. Pollut. Res. Int.* **17**, 688-702 (2010).
- Perez-Ruzafa, A. *et al.* Presence of pesticides throughout trophic compartments of the food web in the Mar Menor lagoon (SE Spain). *Mar. Pollut. Bull.* **40**, 140-151 (2000).
- Perez-Trujillo, J. P. *et al.* Determination of organochlorine pesticides by gas chromatography with solid-phase microextraction. *Chromatographia* **56**, 191-197 (2002).
- Peterson, R. K. Comparing ecological risks of pesticides: the utility of a Risk Quotient ranking approach across refinements of exposure. *Pest. Manag. Sci.* **62**, 46-56 (2006).
- Peterson, S. M. & Batley, G. E. The Fate of endosulfan in aquatic ecosystems. *Environ. Pollut.* **82**, 143-152 (1993).
- Pfeuffer, R. J. South Florida Water Management District ambient pesticide monitoring network: 1992 to 2007. *Environ. Monit. Assess.* **182**, 485-508 (2011).
- Pfeuffer, R. J. & Rand, G. M. South Florida ambient pesticide monitoring program. *Ecotoxicology* **13**, 195-205 (2004).
- Phillips, B. *et al.* Solid-phase sediment toxicity identification evaluation in an agricultural stream. *Environ. Toxicol. Chem.* **25**, 1671-1676 (2006).
- Phillips, B. M. *et al.* In situ water and sediment toxicity in an agricultural watershed. *Environ. Toxicol. Chem.* **23**, 435-442 (2004).
- Phillips, B. M. *et al.* Causes of water toxicity to *Hyalella azteca* in the New river, California, USA. *Environ. Toxicol. Chem.* **26**, 1074-1079 (2007).
- Phillips, P. J. *et al.* Regional patterns of pesticide concentrations in surface waters of New York in 1997. *J Am. Water Works Ass.* **38**, 731-745 (2002).
- Phillips, T. A. & Summerfelt, R. C. Toxicity of Cedar river water and sediment to larval walleye. *J. Iowa Acad. Sci.* **108**, 90-97 (2001).
- Phong, T. K. *et al.* Pesticide discharge and water management in a paddy catchment in Japan. *Paddy Water Environ.* **8**, 361-369 (2010).
- Pico, Y. *et al.* Monitoring of the pesticide levels in natural waters of the Valencia Community (Spain). *Bull. Environ. Contam. Toxicol.* **53**, 230-237 (1994).
- Pinheiro Ade, S. & de Andrade, J. B. Development, validation and application of a SDME/GC-FID methodology for the multiresidue determination of organophosphate and pyrethroid pesticides in water. *Talanta* **79**, 1354-1359 (2009).
- Pinheiro, A. d. S., da Rocha, G. O. & de Andrade, J. B. A SDME/GC-MS methodology for determination of organophosphate and pyrethroid pesticides in water. *Microchem. J.* **99**, 303-308 (2011).
- Pitarch, E. *et al.* Determination of priority organic micro-pollutants in water by gas chromatography coupled to triple quadrupole mass spectrometry. *Anal. Chim. Acta* **583**, 246-258 (2007).
- Planas, C., Caixach, J., Santos, F. J. & Rivera, J. Occurrence of pesticides in Spanish surface waters. Analysis by high resolution gas chromatography coupled to mass spectrometry. *Chemosphere* **34**, 2393-2406 (1997).
- Planas, C., Puig, A., Rivera, J. & Caixach, J. Analysis of pesticides and metabolites in Spanish surface waters by isotope dilution gas chromatography/mass

- spectrometry with previous automated solid-phase extraction - Estimation of the uncertainty of the analytical results. *J. Chromatogr. A* **1131**, 242-252 (2006).
- Poissant, L., Beauvais, C., Lafrance, P. & Deblois, C. Pesticides in fluvial wetlands catchments under intensive agricultural activities. *Sci. Total Environ.* **404**, 182-195 (2008).
- Poletika, N. N., Havens, P. L., Robb, C. K. & Smith, R. D. in *Agrochemical Fate and Movement. Perspective and Scale of Study* (eds T. R. Steinheimer, L. J. Ross, & T. D. Spittler) 288-305 (American Chemical Society, Washington, DC, 2000).
- Poletika, N. N. *et al.* A spatially and temporally explicit risk assessment for salmon from a prey base exposed to agricultural insecticides. *Integr. Environ. Assess. Manag.* **8**, 285-300 (2012).
- Polidoro, B. A., Morra, M. J., Ruepert, C. & Castillo, L. E. Pesticide sequestration in passive samplers (SPMDs): considerations for deployment time, biofouling, and stream flow in a tropical watershed. *J. Environ. Monit.* **11**, 1866-1874 (2009).
- Poolpak, T. *et al.* Residue analysis of organochlorine pesticides in the Mae Klong river of Central Thailand. *J. Hazard. Mater.* **156**, 230-239 (2008).
- Potter, T. L., Mohamed, M. A. & Ali, H. Solid-phase extraction combined with high-performance liquid chromatography-atmospheric pressure chemical ionization-mass spectrometry analysis of pesticides in water: Method performance and application in a reconnaissance survey of residues in drinking water in greater Cairo, Egypt. *J. Agric. Food. Chem.* **55**, 204-210 (2007).
- Printes, L. B., Fernandes, M. N. & Espindola, E. L. Laboratory measurements of biomarkers and individual performances in *Chironomus xanthus* to evaluate pesticide contamination of sediments in a river of southeastern Brazil. *Ecotoxicol. Environ. Saf.* **74**, 424-430 (2011).
- Provini, A., Dimaio, E. & Galassi, S. Pesticide contamination in some tributaries of the Tyrrhenian Sea. *Toxicol. Environ. Chem.* **31-32**, 157-165 (1991).
- Purcell, L. A. & Giberson, D. J. Effects of an azinphos-methyl runoff event on macroinvertebrates in the Wilmot River, Prince Edward Island, Canada. *Can. Entomol.* **139**, 523-533 (2007).
- Qian, S. S. & Anderson, C. W. Exploring factors controlling the variability of pesticide concentrations in the Willamette River Basin using tree-based models. *Environ. Sci. Technol.* **33**, 3332-3340 (1999).
- Qiao, M. *et al.* Safety assessment of the source water within the Pearl River Delta on the aspect of organochlorine pesticides contamination. *J. Environ. Monit.* **12**, 1666-1677 (2010).
- Qin, S. J. *et al.* Enantioselective degradation and chiral stability of pyrethroids in soil and sediment. *J. Agric. Food. Chem.* **54**, 5040-5045 (2006).
- Quinn, L. *et al.* Distribution profiles of selected organic pollutants in soils and sediments of industrial, residential and agricultural areas of South Africa. *J. Environ. Monit.* **11**, 1647-1657 (2009).
- Rahmanikhah, Z., Sari, A. E., Bahramifar, N. & Bousjien, Z. S. Organophosphorous pesticide residues in surface and ground water in the southern coast watershed of Caspian Sea, Iran. *Middle-East J. Sci. Res.* **7**, 253-259 (2011).
- Rao, G. V., Rao, P. M. & Sundara, K. K. Pesticide transport in Kolleru lake. *Int. J. Appl. Environ. Sci.* **4**, 405-411 (2009).

- Rao, S. R. Organochlorine pesticide residues in a village drinking water pond (Pusulur) of Guntur (Dist) of Andhra Pradesh. *Geobios* **19**, 200-203 (1992).
- Rao, V. S. Detection of organochlorine pesticide residues using gas-chromatography in village drinking water ponds and in biota of Guntur (Dist.) of Andhra Pradesh. *Geobios* **21** (1994).
- Raupach, M. R. *et al.* Endosulfan transport: I. integrative assessment of airborne and waterborne pathways. *J. Environ. Qual.* **30**, 714-728 (2001).
- Rawn, D. F. K., Halldorson, T. H. J., Woychuk, R. N. & Muir, D. C. G. Pesticides in the Red River and its tributaries in southern Manitoba: 1993-95. *Water Qual. Res. J. Can.* **34**, 183-219 (1999).
- Rawn, D. F. K. & Muir, D. C. G. Sources of chlorpyrifos and dacthal to a small Canadian prairie watershed. *Environ. Sci. Technol.* **33**, 3317-3323 (1999).
- Readman, J. W. *et al.* Persistent organophosphorous pesticides in tropical marine environments. *Mar. Pollut. Bull.* **24**, 398-402 (1992).
- Reddy, K. N. & Reddy, H. Pesticide residues in surface water of lakes around Hyderabad, India. *Pestic. Res. J.* **22**, 111-115 (2010).
- Reeder, A. L. *et al.* Forms and prevalence of intersexuality and effects of environmental contaminants on sexuality in cricket frogs (*Acris crepitans*). *Environ. Health Perspect.* **106**, 261-266 (1998).
- Rehana, Z., Malik, A. & Ahmad, M. Mutagenic activity of the Ganges water with special reference to the pesticide pollution in the river between Kachla to Kannauj (U.P.), India. *Mutation Research-Genetic Toxicology* **343**, 137-144 (1995).
- Rehana, Z., Malik, A. & Ahmad, M. Genotoxicity of the Ganges water at Narora (U.P.), India. *Mutation Research-Genetic Toxicology* **367**, 187-193 (1996).
- Ricart, M. *et al.* Primary and complex stressors in polluted mediterranean rivers: Pesticide effects on biological communities. *J. Hydrol.* **383**, 52-61 (2010).
- Richards, R. P. & Baker, D. B. Pesticide concentration patterns in agricultural drainage networks in the Lake Erie Basin. *Environ. Toxicol. Chem.* **12**, 13-26 (1993).
- Rissato, S. R., Libanio, M., Giafferis, G. P. & Gerenutti, M. Determination of organochlorinated pesticides in the water supply system, drinking water and soil of the region of Bauru (SP). *Quim. Nova* **27**, 739-743 (2004).
- Robinson, D. E. & Mansingh, A. Insecticide contamination of Jamaican environment. IV. Transport of residues from coffee plantations in the blue mountains to coastal waters in eastern Jamaica. *Environ. Monit. Assess.* **54**, 125-141 (1999).
- Robledo-Marengo, M. L., Botello, A. V., Romero-Banuelos, C. A. & Diaz-Gonzalez, G. Presence of persistent organochlorine pesticides in estuaries of the subtropical Mexican Pacific. *Int. J. Environ. Pollut.* **26**, 284-294 (2006).
- Rodriguez, E. M., Schuldt, M. & Romano, L. Chronic histopathological effects of parathion and 2,4-D on female gonads of *Chasmagnathus granulata* (Decapoda, Brachyura). *Food Chem. Toxicol.* **32**, 811-818 (1994).
- Rose, G. & Kibria, G. Pesticide and heavy metal residues in Goulburn Murray irrigation water 2004-2006. *Australas. J. Ecotoxicol.* **13**, 65-79 (2007).
- Rose, M. T., Crossan, A. N. & Kennedy, I. R. The effect of vegetation on pesticide dissipation from ponded treatment wetlands: quantification using a simple model. *Chemosphere* **72**, 999-1005 (2008).
- Rose, M. T., Sanchez-Bayo, F., Crossan, A. N. & Kennedy, I. R. Pesticide removal from

- cotton farm tailwater by a pilot-scale ponded wetland. *Chemosphere* **63**, 1849-1858 (2006).
- Roseth, R. & Haarstad, K. Pesticide runoff from greenhouse production. *Water Sci. Technol.* **61**, 1373-1381 (2010).
- Ross, P., Scott, G. I., Fulton, M. H. & Strozier, E. D. in *Environmental Xenobiotics* (ed M. Richardson) 161-178 (Taylor and Francis, London, 1996).
- Sadauskas-Henrique, H., Sakuragui, M. M., Paulino, M. G. & Fernandes, M. N. Using condition factor and blood variable biomarkers in fish to assess water quality. *Environ. Monit. Assess.* **181**, 29-42 (2011).
- Salvado, V., Quintana, X. D. & Hidalgo, M. Monitoring of nutrients, pesticides, and metals in waters, sediments, and fish of a wetland. *Arch. Environ. Contam. Toxicol.* **51**, 377-386 (2006).
- Samoh, A. N. H. & Ibrahim, M. S. Organochlorine pesticide residues in the major rivers of southern Thailand. *Environ. Asia* **1**, 30-34 (2009).
- Sancho, J. V., Pozo, O. J. & Hernandez, F. Liquid chromatography and tandem mass spectrometry: a powerful approach for the sensitive and rapid multiclass determination of pesticides and transformation products in water. *Analyst* **129**, 38-44 (2004).
- Sandahl, J. F. & Jenkins, J. J. Pacific steelhead (*Oncorhynchus mykiss*) exposed to chlorpyrifos: Benchmark concentration estimates for acetylcholinesterase inhibition. *Environ. Toxicol. Chem.* **21**, 2452-2458 (2002).
- Sangchan, W. *et al.* Short-term dynamics of pesticide concentrations and loads in a river of an agricultural watershed in the outer tropics. *Agric., Ecosyst. Environ.* **158**, 1-14 (2012).
- Sankararamkrishnan, N., Kumar Sharma, A. & Sanghi, R. Organochlorine and organophosphorous pesticide residues in ground water and surface waters of Kanpur, Uttar Pradesh, India. *Environ. Int.* **31**, 113-120 (2005).
- Sapozhnikova, Y., Bawardi, O. & Schlenk, D. Pesticides and PCBs in sediments and fish from the Salton Sea, California, USA. *Chemosphere* **55**, 797-809 (2004).
- Sapozhnikova, Y., Zubcov, E., Zubcov, N. & Schlenk, D. Occurrence of pesticides, polychlorinated biphenyls (PCBs), and heavy metals in sediments from the Dniester River, Moldova. *Arch. Environ. Contam. Toxicol.* **49**, 439-448 (2005).
- Sarkar, U. K., Basheer, V. S., Singh, A. K. & Srivastava, S. M. Organochlorine pesticide residues in water and fish samples: first report from rivers and streams of Kumaon Himalayan region, India. *Bull. Environ. Contam. Toxicol.* **70**, 485-493 (2003).
- Schäfer, R. B. *et al.* Effects of pesticides on community structure and ecosystem functions in agricultural streams of three biogeographical regions in Europe. *Sci. Total Environ.* **382**, 272-285 (2007).
- Schäfer, R. B. *et al.* Performance of the Chemcatcher passive sampler when used to monitor 10 polar and semi-polar pesticides in 16 Central European streams, and comparison with two other sampling methods. *Water Res.* **42**, 2707-2717 (2008a).
- Schäfer, R. B. *et al.* Determination of 10 particle-associated multiclass polar and semi-polar pesticides from small streams using accelerated solvent extraction. *Chemosphere* **70**, 1952-1960 (2008b).

- Schäfer, R. B. *et al.* Effects of pesticides monitored with three sampling methods in 24 sites on macroinvertebrates and microorganisms. *Environ. Sci. Technol.* **45**, 1665-1672 (2011a).
- Schäfer, R. B. *et al.* Occurrence and toxicity of 331 organic pollutants in large rivers of north Germany over a decade (1994 to 2004). *Environ. Sci. Technol.* **45**, 6167-6174 (2011b).
- Schlichtig, B., Schüle, E. & Rott, U. Eintrag von Pflanzenschutzmitteln in die Seefelder Aach. *Wasser Abfall* **3**, 20-28 (2001).
- Schriks, M. *et al.* Toxicological relevance of emerging contaminants for drinking water quality. *Water Res.* **44**, 461-476 (2010).
- Schultze, J. A., Manigold, D. B. & Andrews, F. L. Pesticide in water - Pesticides in selected western streams -1968-71. *Pestic. Monit. J.* **7**, 73-84 (1973).
- Schulz, R. Rainfall-induced sediment and pesticide input from orchards into the Lourens River, Western Cape, South Africa: Importance of a single event. *Water Res.* **35**, 1869-1876 (2001).
- Schulz, R. Using a freshwater amphipod in situ bioassay as a sensitive tool to detect pesticide effects in the field. *Environ. Toxicol. Chem.* **22**, 1172-1176 (2003).
- Schulz, R. in *Techniques in Aquatic Toxicology* Vol. 2 (ed G. K. Ostrander) 427-448 (CRC Press LLC, Boca Raton, 2005).
- Schulz, R. & Peall, S. K. C. Effectiveness of a constructed wetland for retention of nonpoint-source pesticide pollution in the Lourens River catchment, South Africa. *Environ. Sci. Technol.* **35**, 422-426 (2001).
- Schulz, R., Peall, S. K. C., Dabrowski, J. M. & Reinecke, A. J. Current-use insecticides, phosphates and suspended solids in the Lourens River, Western Cape, during the first rainfall event of the wet season. *Water Sa* **27**, 65-70 (2001a).
- Schulz, R., Peall, S. K. C., Dabrowski, J. M. & Reinecke, A. J. Spray deposition of two insecticides into surface waters in a South African orchard area. *J. Environ. Qual.* **30**, 814-822 (2001b).
- Schulz, R., Peall, S. K. C., Hugo, C. & Krause, V. Concentration, load and toxicity of spraydrift-borne azinphos-methyl at the inlet and outlet of a constructed wetland. *Ecol. Eng.* **18**, 239-245 (2001c).
- Scott, G. I. *et al.* Toxicological studies in tropical ecosystems: An ecotoxicological risk assessment of pesticide runoff in South Florida estuarine ecosystems. *J. Agric. Food. Chem.* **50**, 4400-4408 (2002).
- Semwal, N. & Akolkar, P. Water quality assessment of sacred Himalayan rivers of Uttaranchal. *Curr. Sci.* **91**, 486-496 (2006).
- Senseman, S. A. *et al.* Trace level pesticide detections in Arkansas surface waters. *Environ. Sci. Technol.* **31**, 395-401 (1997).
- Sereda, B. L. & Meinhardt, H. R. Contamination of the Water Environment in Malaria Endemic Areas of KwaZulu-Natal, South Africa, by Agricultural Insecticides. *Bull. Environ. Contam. Toxicol.* **75**, 530-537 (2005).
- Shayeghi, M., Khoobdel, M. & Vatandoost, H. Determination of organophosphorous insecticides (Malathion and Diazinon) residue in drinking water. *Pak. J. Biol. Sci.* **10**, 2900-2904 (2007).
- Shayeghi, M., Shahtaheri, S. J. & Selsele, M. Phosphorous insecticides residues in Manzandaran river waters, Iran (2000). *Iran. J. Public Health* **30**, 115-118 (2001).

- Shereif, M. M., Shahat, T. M., Zidan, A. A. & Metwally, A. A. Nutritional and environmental toxicological investigations on fish farms in Fayoum governorate, Egypt. *Vet. Med. J. Giza* **50**, 87-102 (2002).
- Shiraishi, H., Pula, F., Otsuki, A. & Iwakuma, T. Behaviour of pesticides in lake Kasumigaura, Japan. *Sci. Total Environ.* **72**, 29-42 (1988).
- Shires, S. W. & Bennett, D. Contamination and effects in freshwater ditches resulting from an aerial application of cypermethrin. *Ecotoxicol. Environ. Saf.* **9** (1985).
- Silva, C., Boia, C., Valente, J. & Borrego, C. Pesticides in Esteros del Ibera (AR): evaluation of impacts and proposal of guidelines for water quality protection. *Ecol. Model.* **186**, 85-97 (2005).
- Singh, B. & Gupta, A. Monitoring of pesticide residues in different sources of drinking water of Jaipur, India. *Bull. Environ. Contam. Toxicol.* **69**, 49-53 (2002).
- Singh, K. P., Malik, A., Mohan, D. & Takroo, R. Distribution of Persistent Organochlorine Pesticide Residues in Gomti River, India. *Bull. Environ. Contam. Toxicol.* **74**, 146-154 (2005).
- Singh, K. P., Malik, A. & Sinha, S. Persistent organochlorine pesticide residues in soil and surface water of northern Indo-Gangetic alluvial plains. *Environ. Monit. Assess.* **125**, 147-155 (2007).
- Singh, P. B. *et al.* Insecticides in fishes and water of polluted river Sai, and its impact on gonadal growth from north India. *J. Ecophysiology Occup. Health* **8**, 133-142 (2008).
- Smalling, K. L. & Kuivila, K. M. Multi-residue method for the analysis of 85 current-use and legacy pesticides in bed and suspended sediments. *J. Chromatogr. A* **1210**, 8-18 (2008).
- Smalling, K. L., Orlando, J. L. & Kuivila, K. M. Occurrence of pesticides in water, sediment, and soil from the Yolo Bypass, California. *San Francisco Est. Watershed Sci.* **5**, Article 2 (2007).
- Smith, S. & Cooper, C. M. in *Water Quality Assessment in the Mississippi Delta, Regional Solutions, National Scope* (eds M. Nett, M. Locke, & D. Pennington) 91-103 (American Chemical Society, Chicago, 2003).
- Smith, S. *et al.* Pesticides in lake water in the Beasley lake watershed, 1998-2005. *Int. J. Ecol. Environ. Sci.* **33**, 61-71 (2007).
- Smith, S., Cooper, C. M., Lizotte, R. E. & Shields, F. D. Storm pesticide concentrations in Little Topashaw creek, USA. *Int. J. Ecol. Environ. Sci.* **32**, 173-182 (2006).
- Sojinu, O. S. S., Sonibare, O. O., Ekundayo, O. & Zeng, E. Y. Occurrence of organochlorine pesticides (OCPs) in surface sediments of the Niger Delta, Nigeria. *J. Appl. Sci. Res.* **7**, 1299-1305 (2011).
- Sosan, M. B., Akingbohunbe, A. E., Ojo, I. A. & Durosinmi, M. A. Insecticide residues in the blood serum and domestic water source of cacao farmers in Southwestern Nigeria. *Chemosphere* **72**, 781-784 (2008).
- Sparling, D. W. & Fellers, G. M. Toxicity of two insecticides to California, USA, anurans and its relevance to declining amphibian populations. *Environ. Toxicol. Chem.* **28**, 1696-1703 (2009).
- Spongberg, A. L. & Davis, P. Organochlorinated pesticide contaminants in Golfo Dulce, Costa Rica. *Rev. Biol. Trop.* **46**, 111-124 (1998).
- Sprague, L. A. & Nowell, L. H. Comparison of pesticide concentrations in streams at low

- flow in six metropolitan areas of the United States. *Environ. Toxicol. Chem.* **27**, 288-298 (2008).
- Spurlock, F., Bacey, J., Starner, K. & Gill, S. A probabilistic screening model for evaluating pyrethroid surface water monitoring data. *Environ. Monit. Assess.* **109**, 161-179 (2005).
- Srivastava, N., Harit, G. & Srivastava, R. A study of physico-chemical characteristics of lakes around Jaipur, India. *J. Environ. Biol.* **30**, 889-894 (2009).
- St George, T. *et al.* A rapidly equilibrating, thin film, passive water sampler for organic contaminants; characterization and field testing. *Environ. Pollut.* **159**, 481-486 (2011).
- Stamer, J. K. & Wieczorek, M. E. Pesticide distributions in surface water. *J. Am. Water Works Ass.* **88**, 79-87 (1996).
- Starner, K. & Goh, K. S. Detections of the neonicotinoid insecticide imidacloprid in surface waters of three agricultural regions of California, USA, 2010-2011. *Bull. Environ. Contam. Toxicol.* **88**, 316-321 (2012).
- Starner, K. *et al.* Pesticide Residues in Surface Water from Irrigation-Season Monitoring in the San Joaquin Valley, California, USA. *Bull. Environ. Contam. Toxicol.* **74**, 920-927 (2005).
- Starner, K., White, J., Spurlock, F. & Kelley, K. in *Synthetic Pyrethroids. Occurrence and Behavior in Aquatic Environments* (eds J. Gan, F. Spurlock, P. Hendley, & D. Weston) 72-83 (American Chemical Society, Washington, DC, 2008).
- Steen, R. J. C. A. *et al.* Ecological risk assessment of agrochemicals in European estuaries. *Environ. Toxicol. Chem.* **18**, 1574-1581 (1999).
- Steen, R. J. C. A. *et al.* Gross fluxes and estuarine behaviour of pesticides in the Scheldt Estuary (1995-1997). *Environ. Pollut.* **115**, 65-79 (2001).
- Stoughton, S. J., Liber, K., Culp, J. & Cessna, A. Acute and chronic toxicity of imidacloprid to the aquatic invertebrates *Chironomus tentans* and *Hyalella azteca* under constant- and pulse-exposure conditions. *Arch. Environ. Contam. Toxicol.* **54**, 662-673 (2008).
- Struger, J. & Fletcher, T. Occurrence of lawn care and agricultural pesticides in the Don River and Humber River watersheds (1998-2002). *J. Great Lakes Res.* **33**, 887-905 (2007).
- Struger, J., L'Italien, S. & Sverko, E. In-use pesticide concentrations in surface waters of the Laurentian Great Lakes, 1994-2000. *J. Great Lakes Res.* **30**, 435-450 (2004).
- Sturm, A., Radau, T. S., Hahn, T. & Schulz, R. Inhibition of rainbow trout acetylcholinesterase by aqueous and suspended particle-associated organophosphorous insecticides. *Chemosphere* **68**, 605-612 (2007).
- Sturm, A., Wogram, J., Hansen, P. D. & Liess, M. Potential use of cholinesterase in monitoring low levels of organophosphates in small streams: Natural variability in three-spined stickleback (*Gasterosteus aculeatus*) and relation to pollution. *Environ. Toxicol. Chem.* **18**, 194-200 (1999).
- Sturm, A., Wogram, J., Segner, H. & Liess, M. Different sensitivity to organophosphates of acetylcholinesterase and butyrylcholinesterase from three-spined stickleback (*Gasterosteus aculeatus*): Application in biomonitoring. *Environ. Toxicol. Chem.* **19**, 1607-1615 (2000).
- Subbaiah, M. B., Purushotham, K. R., Kumar, N. V. N. & Ramamurthi, R.

- Physicochemical and pesticide residue analysis of a fish stocking pond. *Indian J. Environ. Health* **26**, 269-272 (1984).
- Sudo, M., Kawachi, T., Hida, Y. & Kunimatsu, T. Spatial distribution and seasonal changes of pesticides in Lake Biwa, Japan. *Limnology* **5** (2004).
- Sudo, M., Kunimatsu, T. & Okubo, T. Concentration and loading of pesticide residues in Lake Biwa basin (Japan). *Water Res.* **36**, 315-329 (2002a).
- Sudo, M. *et al.* Inflow and outflow of agricultural chemicals in Lake Biwa. *Lakes Reserv.: Res. Manage.* **7**, 301-308 (2002b).
- Sujatha, C. H., Nair, S. M. & Chacko, J. Determination and distribution of endosulfan and malathion in an Indian estuary. *Water Res.* **33**, 109-114 (1999).
- Sullivan, J. J., Chen, Y. G. & Goh, K. S. Performance assessment and validation of a paramagnetic particle-based enzyme-linked immunosorbent assay for chlorpyrifos in agricultural runoff waters. *J. Agric. Food. Chem.* **55**, 6407-6416 (2007).
- Sumith, J. A., Hansani, P. L., Weeraratne, T. C. & Munkittrick, K. R. Seasonal exposure of fish to neurotoxic pesticides in an intensive agricultural catchment, Uma-o-ya, Sri Lanka: linking contamination and acetylcholinesterase inhibition. *Environ. Toxicol. Chem.* **31**, 1501-1510 (2012).
- Sumith, J. A., Parkpian, P. & Leadprathom, N. Dredging influenced sediment toxicity of endosulfan and lindane on black tiger shrimp (*Penaeus monodon Fabricius*) in Chantaburi River estuary in Thailand. *Int. J. Sed. Res.* **24**, 455-464 (2009).
- Sun, C. *et al.* Trace analysis of dissolved polychlorinated organic compounds in the water of the Yangtse river (Nanjing, China). *Environ. Pollut.* **117**, 9-14 (2002).
- Sun, Q., Zhu, L. & Dong, M. Risk assessment of organic pesticides pollution in surface water of Hangzhou. *Environ. Monit. Assess.* **117**, 377-385 (2006).
- Sundar, G., Selvarani, J., Gopalakrishnan, S. & Ramachandran, S. Occurrence of organochlorine pesticide residues in green mussel (*Perna viridis* L.) and water from Ennore creek, Chennai, India. *Environ. Monit. Assess.* **160**, 593-604 (2010).
- Süß, A., Bischoff, G., Mueller, A. C. W. & Buhr, L. Chemisch-biologisches Monitoring zu Pflanzenschutzmittelbelastungen und Lebensgemeinschaften in Gräben des Alten Landes. *Nachrichtenbl. Deut. Pflanzenschutzd.* **58**, 28-42 (2006).
- Süss, A., Mueller, A. C. W. & Pestemer, W. in *Pesticide in air, plant, soil & Water System: Proceedings of the 12. Symposium Pesticide Chemistry June 4 - 6, 2003, Piacenza, Italia* (eds A.A.M. Del Re, E. Capri, L. Padovani, & M. Trevisan) 887-895 (La Goliardica Pavese, Pavia, 2003).
- Syakalima, M. *et al.* Pesticide/Herbicide pollutants in the Kafue river and a preliminary investigation into their biological effect through catalase levels in fish. *Jap. J. Vet. Res.* **54**, 119-128 (2006).
- Szeto, S. Y., Wan, M. T., Price, P. & Roland, J. Distribution and persistence of diazinon in a cranberry bog. *J. Agric. Food. Chem.* **38**, 281-285 (1990).
- Takahashi, Y., Onodera, S., Morita, M. & Terao, Y. Detected pesticides and their concentrations in raw water and tap water samples. *J. Environ. Chem.* **13**, 89-101 (2003).
- Takamura, K. Life cycle of the damselfly *Calopteryx atrata* in relation to pesticide contamination. *Ecotoxicology* **5**, 1-8 (1996).
- Takamura, K., Hatakeyama, S. & Shiraiishi, H. Odonate larvae as an indicator of

- pesticide contamination. *Appl. Entomol. Zool.* **26**, 321-326 (1991a).
- Takamura, K. *et al.* Effects of pesticide contamination from rice fields on stream benthic arthropods. *Jap. J. Limnol.* **52**, 95-103 (1991b).
- Talebi, K. Diazinon residues in the basins of Anzali lagoon, Iran. *Bull. Environ. Contam. Toxicol.* **61**, 477-483 (1998).
- Tan, B. L. L. & Mustafa, A. M. The monitoring of pesticides and alkylphenols in selected rivers in the state of Selangor, Malaysia. *Asia Pac. J. Public Health* **16**, 54-63 (2004).
- Tan, G. H. Comparison of solvent extraction and solid-phase extraction for the determination of organochlorine pesticide residues in water. *Analyst* **117**, 1129-1132 (1992).
- Tan, G. H. Dissipation of organochlorines into Malaysian river systems: a survey. *ACIAR Proc.* **85**, 151-155 (1998).
- Tan, G. H. & Vijayaletchumy, K. Determination of organochlorine pesticide-residues in river sediments by soxhlet extraction with hexane-acetone. *Pestic. Sci.* **40**, 121-126 (1994a).
- Tan, G. H. & Vijayaletchumy, K. Organochlorine pesticide residue levels in peninsular Malaysian rivers. *Bull. Environ. Contam. Toxicol.* **53**, 351-356 (1994b).
- Tanabe, A. *et al.* New monitoring system for ninety pesticides and related compounds in river water by solid-phase extraction with determination by gas chromatography/mass spectrometry. *J. AOAC Int.* **83**, 61-77 (2000).
- Tanabe, A. *et al.* Seasonal and spatial studies on pesticide residues in surface waters of the Shinano River in Japan. *J. Agric. Food. Chem.* **49**, 3847-3852 (2001).
- Tanaka, Y. Ecological risk assessment of pollutant chemicals: extinction risk based on population-level effects. *Chemosphere* **53**, 421-425 (2003).
- Tanik, A. *et al.* Fate of pesticides in soil in a coastal lagoon area and associated water quality impacts. *Water Sci. Technol.* **45**, 111-120 (2002).
- Tauler, R. *et al.* Organic pollutants in surface waters from Portugal using chemometric interpretation. *Environ. Technol.* **22**, 1043-1054 (2001).
- Teixido, E., Terrado, M., Ginebreda, A. & Tauler, R. Quality assessment of river waters using risk indexes for substances and sites, based on the COMMPS procedure. *J. Environ. Monit.* **12**, 2120-2127 (2010).
- Terrado, M. *et al.* Use of chemometric and geostatistical methods to evaluate pesticide pollution in the irrigation and drainage channels of the Ebro river delta during the rice-growing season. *Anal. Bioanal. Chem.* **387**, 1479-1488 (2007).
- Terrado, M. *et al.* Distribution and assessment of surface water contamination by application of chemometric and deterministic models. *J. Hydrol.* **369**, 416-426 (2009).
- Thakur, J. S. *et al.* Adverse reproductive and child health outcomes among people living near highly toxic waste water drains in Punjab, India. *J. Epidemiol. Community Health* **64**, 148-154 (2010).
- Thapinta, A. & Hudak, P. F. Pesticide use and residual occurrence in Thailand. *Environ. Monit. Assess.* **60**, 103-114 (2000).
- Thetwar, L. K., Sarway, P. K. & Gupta, S. Concentration, distribution of DDT and malathion in soil water, plant and fishes in Rajnandgaon, India. *Asian J. Chem.* **19**, 1562-1564 (2007).

- Thiere, G. & Schulz, R. Runoff-related agricultural impact in relation to macroinvertebrate communities of the Lourens River, South Africa. *Water Res.* **38**, 3092-3102 (2004).
- Thoma, K. & Nicholson, B. C. Pesticide losses in runoff from a horticultural catchment in South-Australia and their relevance to stream and reservoir water-quality. *Environ. Technol. Lett.* **10**, 117-129 (1989).
- Thomas, M., Korth, W., Foster, S. & McCorkelle, G. Dissipation of pesticides in irrigation drainage from mixed rice and maize crops in the Willbriggie catchment, NSW Australia. *Australas. J. Ecotoxicol.* **4**, 75-84 (1998).
- Thomatou, A. A., Zacharias, I., Hela, D. & Konstantinou, I. Passive sampling of selected pesticides in aquatic environment using polar organic chemical integrative samplers. *Environ. Sci. Pollut. Res. Int.* **18**, 1222-1233 (2011).
- Thompson, T. S. & Treble, R. G. Solid phase extraction and GC-MS techniques for the confirmation of chlorpyrifos contamination of surface water supplies. *Bull. Environ. Contam. Toxicol.* **57**, 525-531 (1996).
- Tierney, K. B. *et al.* Salmon olfaction is impaired by an environmentally realistic pesticide mixture. *Environ. Sci. Technol.* **42**, 4996-5001 (2008).
- Trotter, D. M., Kent, R. A. & Wong, M. P. Aquatic fate and effect of carbofuran. *Crit. Rev. Env. Contr.* **21**, 137-176 (1991).
- Tsuda, T., Aoki, S., Kojima, M. & Fujita, T. Pesticides in water and fish from rivers flowing into Lake Biwa (Ii). *Chemosphere* **24**, 1523-1531 (1992).
- Tsuda, T., Aoki, S., Kojima, M. & Fujita, T. Pesticides in water and fish from rivers flowing into lake Biwa (III). *Toxicol. Environ. Chem.* **41**, 85-90 (1994).
- Tsuda, T., Aoki, S., Kojima, M. & Harada, H. Pesticides in water and fish from rivers flowing into lake Biwa. *Toxicol. Environ. Chem.* **34**, 39-55 (1991).
- Tsuda, T., Igawa, T., Tanaka, K. & Hirota, D. Changes of concentrations, shipment amounts and ecological risk of pesticides in river water flowing into Lake Biwa. *Bull. Environ. Contam. Toxicol.* **87**, 307-311 (2011).
- Tsuda, T., Inoue, T., Kojima, M. & Aoki, S. Pesticides in water and fish from rivers flowing into Lake Biwa. *Bull. Environ. Contam. Toxicol.* **57**, 442-449 (1996).
- Tsuda, T., Nakamura, T., Inoue, A. & Tanaka, K. Pesticides in water, fish and shellfish from littoral area of Lake Biwa. *Bull. Environ. Contam. Toxicol.* **82**, 716-721 (2009b).
- Tsuda, T., Nakamura, T., Inoue, A. & Tanaka, K. Pesticides in water and sediment from littoral area of Lake Biwa. *Bull. Environ. Contam. Toxicol.* **82**, 683-689 (2009a).
- Turgut, C. The contamination with organochlorine pesticides and heavy metals in surface water in Küçük Menderes River in Turkey, 2000–2002. *Environ. Int.* **29**, 29-32 (2003).
- Turgut, C., Atatanir, L. & Cutright, T. J. Evaluation of pesticide contamination in Dilek National Park, Turkey. *Environ. Monit. Assess.* **170**, 671-679 (2010).
- Turgut, C. & Fomin, A. Residues of selected pesticides in the Kucuk Menderes river in Turkey. *J. Plant Dis. Protect.* 1053-1057 (2002).
- Turnbull, A. B. *et al.* An assessment of the behavior of selected pesticides at ADAS Rosemaund. *BCPC Mono.* **62**, 87-92 (1995).
- Turnbull, A. B. *et al.* Assessment of the fate of selected adsorptive pesticides at ADAS Rosemaund. *J. Chart. Inst. Water E.* **11**, 24-30 (1997).

- Tuzimski, T. & Sobczyński, J. Application of HPLC-DAD and TLC-DAD after SPE to the Quantitative Analysis of Pesticides in Water Samples. *J. Liq. Chromatogr. Rel. Technol.* **32**, 1241-1258 (2009).
- Twesigye, C. K. *et al.* The impact of land use activities on vegetation cover and water quality in the Lake Victoria watershed. *Open Environ. Eng. J.* **4**, 66-77 (2011).
- Ueno, R., Iwakuma, T. & Takamura, K. Seasonal and diel drift patterns of *Chironomus yoshimatsui* (Diptera: Chironomidae) in Otto river, Japan. *J. Kans. Entomol. Soc.* **71**, 474-483 (1998).
- Van Cong, N., Phuong, N. & Bayley, M. Brain cholinesterase response in the snakehead fish (*Channa striata*) after field exposure to diazinon. *Ecotoxicol. Environ. Saf.* **71**, 314-318 (2008).
- Van der Geest, H. G., Stuijzand, S. C., Kraak, M. H. S. & Admiraal, W. Impact of diazinon calamity in 1996 on the aquatic macroinvertebrates in the river Meuse, the Netherlands. *Netherlands J. Aquat. Ecol.* **30**, 327-330 (1997).
- Van Dyk, L. P. & Greef, C. G. Endosulfan pollution of rivers and streams in the Loskop dam cotton-growing area. *Agrochemophysica* **9**, 71-76 (1977).
- Varca, L. M. Pesticide residues in surface waters of Pagsanjan-Lumban catchment of Laguna de Bay, Philippines. *Agric. Water Manage.* **106**, 35-41 (2012).
- Vass, K. K. *et al.* The environment and fishery status of the River Ganges. *Aquat. Ecosyst. Health Manage.* **13**, 385-394 (2010).
- Vassilakis, I., Tsipi, D. & Scoullou, M. Determination of a variety of chemical classes of pesticides in surface and ground waters by off-line solid-phase extraction, gas chromatography with electron-capture and nitrogen-phosphorus detection, and high-performance liquid chromatography with post-column derivatization and fluorescence detection. *J. Chromatogr. A* **823**, 49-58 (1998).
- Vega, A. B., Frenich, A. G. & Vidal, J. L. M. Monitoring of pesticides in agricultural water and soil samples from Andalusia by liquid chromatography coupled to mass spectrometry. *Anal. Chim. Acta* **538**, 117-127 (2005).
- Veljanoska-Sarafiloska, E., Jordanoski, M., Stafilov, T. & Stefova, M. Study of organochlorine pesticide residues in water, sediment and fish tissue in lake Ohrid (Macedonia/Albania). *Maced. J. Chem. Chem. En.* **30**, 163-179 (2011).
- Viana, E., Molto, J. C., Manes, J. & Font, G. Cleanup and confirmation procedures for gas-chromatographic determination of pesticide residues in contaminated waters. Part 1. *J. Chromatogr. A* **655**, 285-292 (1993).
- Villaverde, J. *et al.* Priority pesticides and their degradation products in river sediments from Portugal. *Sci. Total Environ.* **390**, 507-513 (2008).
- Vioque-Fernandez, A. *et al.* Donana National Park survey using crayfish (*Procambarus clarkii*) as bioindicator: esterase inhibition and pollutant levels. *Toxicol. Lett.* **168**, 260-268 (2007).
- Von der Ohe, P. C. *et al.* Toward an integrated assessment of the ecological and chemical status of European river basins. *Integr. Environ. Assess. Manag.* **5**, 50-61 (2009).
- Vryzas, Z. *et al.* Determination and aquatic risk assessment of pesticide residues in riparian drainage canals in northeastern Greece. *Ecotoxicol. Environ. Saf.* **74**, 174-181 (2011).
- Vryzas, Z., Vassiliou, G., Alexoudis, C. & Papadopoulou-Mourkidou, E. Spatial and

- temporal distribution of pesticide residues in surface waters in northeastern Greece. *Water Res.* **43**, 1-10 (2009).
- Waite, D. T. *et al.* Pesticides in ground water, surface water and spring runoff in a small Saskatchewan watershed. *Environ. Toxicol. Chem.* **11**, 741-748 (1992).
- Walker, A. E., Holman, R. E. & Leidy, R. B. ELISA and GC/MS analysis of pesticide residues in North Carolina. *J. Am. Water Resour. As.* **36**, 67-74 (2000).
- Wall, G. J., Wilding, L. P. & Smeck, N. E. Physical, chemical, and mineralogical properties of fluvial unconsolidated bottom sediments in northwestern Ohio. *J. Environ. Qual.* **7**, 319-325 (1978).
- Wall, G. R. & Phillips, P. J. Pesticides in the Hudson river basin, 1994-96. *Northeast. Geol. Environ. Sci.* **20**, 299-307 (1998).
- Wan, M. T. Levels of selected pesticides in farm ditches leading to rivers in the lower mainland of British Columbia. *J. Environ. Sci. Heal. B* **24**, 183-203 (1989).
- Wan, M. T., Kuo, J. N., McPherson, B. & Pasternak, J. Agricultural pesticide residues in farm ditches of the Lower Fraser Valley, British Columbia, Canada. *J Environ Sci Health B* **41**, 647-669 (2006).
- Wan, M. T., Kuo, J. N. & Pasternak, J. Residues of endosulfan and other selected organochlorine pesticides in farm areas of the Lower Fraser Valley, British Columbia, Canada. *J. Environ. Qual.* **34**, 1186-1193 (2005).
- Wan, M. T., Szeto, S. & Price, P. Organophosphorus insecticide residues in farm ditches of the Lower Fraser Valley of British Columbia. *J. Environ. Sci. Heal. B* **29**, 917-949 (1994).
- Wan, M. T., Szeto, S. Y. & Price, P. Wetlands and aquatic processes - distribution and persistence of azinphos-methyl and parathion in chemigated cranberry bogs. *J. Environ. Qual.* **24**, 589-596 (1995a).
- Wan, M. T., Szeto, S. & Price, P. Distribution of endosulfan residues in the drainage waterways of the Lower Fraser Valley of British Columbia. *J. Environ. Sci. Heal. B* **30**, 401-433 (1995b).
- Wan, Y. *et al.* Distribution and sources of organochlorine pesticides in Beijing Guanting reservoir. *J. Ecolo. Rural Env.* **25**, 53-56 (2009).
- Wandan, E. N. & Zabik, M. J. Assessment of the contamination of surface water and fish from Cote d'Ivoire. *J Environ Sci Health B* **31**, 225-240 (1996).
- Wandiga, S. O. *et al.* The distribution of organochlorine pesticides in marine samples along the Indian Ocean coast of Kenya. *Environ. Technol.* **23**, 1235-1246 (2002).
- Wang, B. *et al.* Tiered aquatic ecological risk assessment of organochlorine pesticides and their mixture in Jiangsu reach of Huaihe River, China. *Environ. Monit. Assess.* **157**, 29-42 (2009).
- Wang, D., Weston, D. P., Ding, Y. & Lydy, M. J. Development of a sample preparation method for the analysis of current-use pesticides in sediment using gas chromatography. *Arch. Environ. Contam. Toxicol.* **58**, 255-267 (2010a).
- Wang, D., You, J. & Lydy, M. J. Sediment matrix effects in analysis of pyrethroid insecticides using gas chromatography-mass spectrometry. *Arch. Environ. Contam. Toxicol.* **59**, 382-392 (2010b).
- Wang, W. N. *et al.* Extraction of neonicotinoid insecticides from environmental water samples with magnetic graphene nanoparticles as adsorbent followed by determination with HPLC. *Anal. Methods* **4**, 766-772 (2012a).

- Wang, J. Z., Li, H. Z. & You, J. Distribution and toxicity of current-use insecticides in sediment of a lake receiving waters from areas in transition to urbanization. *Environ. Pollut.* **161**, 128-133 (2012b).
- Wang, Y. *et al.* Distribution characteristic of organochlorine pesticides in surface sediments from Lijiang, Guilin City, South China. *China Environ. Sci.* **31**, 1361-1365 (2011).
- Warry, N. D. & Chan, C. H. Organic contaminants in the suspended sediments of the Niagara river. *J. Great Lakes Res.* **7**, 394-403 (1981).
- Wasswa, J. *et al.* Organochlorine pesticide residues in sediments from the Uganda side of Lake Victoria. *Chemosphere* **82**, 130-136 (2011).
- Wegman, R. C. C. & Greve, P. A. Organochlorines, cholinesterase inhibitors, and aromatic amines in Dutch water samples, September 1969-December 1975. *Pestici. Monit. J.* **12**, 149-162 (1978).
- Werner, I. *et al.* Insecticide-caused toxicity to *Ceriodaphnia dubia* (Cladocera) in the Sacramento-San Joaquin River Delta, California, USA. *Environ. Toxicol. Chem.* **19**, 215-227 (2000).
- Werner, I. *et al.* Use of vegetated agricultural drainage ditches to decrease toxicity of irrigation runoff from tomato and alfalfa fields in California, USA. *Environ. Toxicol. Chem.* **29**, 2859-2868 (2010a).
- Werner, I. *et al.* Monitoring acute and chronic water column toxicity in the Northern Sacramento-San Joaquin Estuary, California, USA, using the euryhaline amphipod, *Hyalella azteca*: 2006 to 2007. *Environ. Toxicol. Chem.* **29**, 2190-2199 (2010b).
- Weston, D. P. & Jackson, C. J. Use of engineered enzymes to identify organophosphate and pyrethroid-related toxicity in toxicity identification evaluations. *Environ. Sci. Technol.* **43**, 5514-5520 (2009).
- Weston, D. P. & Lydy, M. J. Urban and agricultural sources of pyrethroid insecticides to the Sacramento-San Joaquin Delta of California. *Environ. Sci. Technol.* **44**, 1833-1840 (2010).
- Weston, D. P., You, J., Amweg, E. L. & Lydy, M. J. in *Synthetic Pyrethroids. Occurrence and Behavior in Aquatic Environments* (eds J. Gan, F. Spurlock, P. Hendley, & D. Weston) 26-54 (American Chemical Society, Washington, DC, 2008a).
- Weston, D. P., You, J. & Lydy, M. J. Distribution and toxicity of sediment-associated pesticides in agriculture-dominated water bodies of California's Central Valley. *Environ. Sci. Technol.* **38**, 2752-2759 (2004).
- Weston, D. P., Zhang, M. H. & Lydy, M. J. Identifying the cause and source of sediment toxicity in an agriculture-influenced creek. *Environ. Toxicol. Chem.* **27**, 953-962 (2008b).
- Whitehead, A. *et al.* Genotoxicity in native fish associated with agricultural runoff events. *Environ. Toxicol. Chem.* **23**, 2868-2877 (2004).
- Wightwick, A. & Allinson, G. Pesticide residues in Victorian waterways: a review. *Australas. J. Ecotoxicol.* **13**, 91-112 (2007).
- Williams, L. A. D. & Chow, B. A. Toxicity of endosulfan to the mangrove guppy *Gambusia Puncticulata* poey and its ecological implication in Jamaica. *Philipp. J. Sci.* **122**, 323-328 (1993).
- Williams, R. J. *et al.* Pesticide transport to surface waters within an agricultural

- catchment. *J. Inst. Water Environ. Manag.* **9**, 72-81 (1995).
- Willis, G. H., McDowell, L. L., Southwick, L. M. & Smith, S. Methoxychlor and endosulfan concentrations in unit-source runoff and in channel flow of a complex watershed. *Trans. ASAE* **30**, 394-399 (1987).
- Wilsont, P. C. & Foos, J. F. Survey of carbamate and organophosphorous pesticide export from a south Florida (U.S.A.) agricultural watershed: implications of sampling frequency on ecological risk estimation. *Environ. Toxicol. Chem.* **25**, 2847-2852 (2006).
- Witter, J. V., Robinson, D. E., Mansingh, A. & Dalip, K. M. Insecticide contamination of Jamaican environment. V. Island-wide rapid survey of residues in surface and ground water. *Environ. Monit. Assess.* **56**, 257-267 (1999).
- Wittmer, I. K. *et al.* Significance of urban and agricultural land use for biocide and pesticide dynamics in surface waters. *Water Res.* **44**, 2850-2862 (2010).
- Wolska, L. *et al.* Sample preparation for GC analysis of selected pesticides in surface water. *Chemosphere* **39**, 1477-1486 (1999).
- Wood, B. & Stark, J. D. Acute toxicity of drainage ditch water from a Washington State cranberry-growing region to *Daphnia pulex* in laboratory bioassays. *Ecotoxicol. Environ. Saf.* **53**, 273-280 (2002).
- Woudneh, M. B. *et al.* Pesticide multiresidues in waters of the Lower Fraser Valley, British Columbia, Canada. Part I. Surface water. *J. Environ. Qual.* **38**, 940-947 (2009).
- Wu, C. *et al.* Pollution of waterbody by chlorpyrifos used in paddy rice field in hilly areas and its ecological risk. *J. Ecol. Rural Env.* **27**, 108-112 (2011).
- Wu, Q. *et al.* Application of dispersive liquid-liquid microextraction combined with high-performance liquid chromatography to the determination of carbamate pesticides in water samples. *Anal. Bioanal. Chem.* **393**, 1755-1761 (2009).
- Wu, T. H. *et al.* Organochlorine contaminants in Morelet's crocodile (*Crocodylus moreletii*) eggs from Belize. *Chemosphere* **40**, 671-678 (2000).
- Wurl, O. & Obbard, J. P. Organochlorine pesticides, polychlorinated biphenyls and polybrominated diphenyl ethers in Singapore's coastal marine sediments. *Chemosphere* **58**, 925-933 (2005).
- Xue, N., Xu, X. & Jin, Z. Screening 31 endocrine-disrupting pesticides in water and surface sediment samples from Beijing Guanting reservoir. *Chemosphere* **61**, 1594-1606 (2005).
- Xue, N. D., Li, F. S., Hou, H. & Li, B. W. Occurrence of endocrine-disrupting pesticide residues in wetland sediments from Beijing, China. *Environ. Toxicol. Chem.* **27**, 1055-1062 (2008).
- Yang, L., Wen, Y. & Gong, Z. Determination of pyrethroid pesticides in estuarine and coastal sediments by accelerated solvent extraction and liquid chromatography-tandem mass spectrometry. *Chin. J. Anal. Chem.* **38**, 968-972 (2010a).
- Yang, Q. *et al.* Spatial and temporal distribution of organochlorine pesticides (OCPs) in surface water from the Pearl River Artery estuary. *Environ. Sci.* **25**, 150-156 (2004).
- Yang, X. B., Ying, G. G. & Kookana, R. S. Rapid multiresidue determination for currently used pesticides in agricultural drainage waters and soils using gas chromatography-mass spectrometry. *J. Environ. Sci. Health B* **45**, 152-161

- (2010b).
- Yildirim, I. & Ozcan, H. Determination of pesticide residues in water and soil resources of Troia (Troy). *Fresenius Environ. Bull.* **16**, 63-70 (2007).
- Yilmaz, H., Erbatur, O. & Erbatur, G. Monitoring of pesticide and heavy metal discharge of the major rivers and drainage canals into the Mediterranean Sea in the north-east coastal zone, Turkey. *Fresenius Environ. Bull.* **12**, 1407-1411 (2003).
- You, J. & Lydy, M. J. Evaluation of desulfuration methods for pyrethroid, organophosphate, and organochlorine pesticides in sediment with high sulfur content. *Arch. Environ. Contam. Toxicol.* **47**, 148-153 (2004).
- You, J., Pehkonen, S., Weston, D. P. & Lydy, M. J. Chemical availability and sediment toxicity of pyrethroid insecticides to *Hyalella azteca*: application to field sediment with unexpectedly low toxicity. *Environ. Toxicol. Chem.* **27**, 2124-2130 (2008).
- You, J., Wang, D. & Lydy, M. J. Determination of pyrethroid insecticides in sediment by gas chromatography-ion trap tandem mass spectrometry. *Talanta* **81**, 136-141 (2010).
- You, J., Weston, D. P. & Lydy, M. J. A sonication extraction method for the analysis of pyrethroid, organophosphate, and organochlorine pesticides from sediment by gas chromatography with electron-capture detection. *Arch. Environ. Contam. Toxicol.* **47**, 141-147 (2004).
- Zambetoglou, K. *et al.* Occurrence and removal of pesticides in the drinking water treatment plant of Thessaloniki, northern Greece. *Fresenius Environ. Bull.* **15**, 989-996 (2006).
- Zang, X. *et al.* Analysis of pyrethroid pesticides in water samples by dispersive liquid-liquid microextraction coupled with gas chromatography. *Chin. J. Anal. Chem.* **36**, 765-769 (2008).
- Zaruk, D., Comba, M., Struger, J. & Young, S. Comparison of immunoassay with a conventional method for the determination of Diazinon(R) in surface waters. *Anal. Chim. Acta* **444**, 163-168 (2001).
- Zhang, M. *et al.* Distribution and composition of organochlorine pesticides in surface water body of Chaohu lake. *Chin. J. Appl. Ecol.* **21**, 209-214 (2010).
- Zhang, X., Starner, K., Goh, K. S. & Gill, S. Analysis of diazinon agricultural use in regions of frequent surface water detections in California, USA. *Bull. Environ. Contam. Toxicol.* **88**, 333-337 (2012).
- Zhang, Z. *et al.* Dissolved insecticides and polychlorinated biphenyls in the Pearl River Estuary and South China Sea. *J. Environ. Monit.* **4**, 922-928 (2002a).
- Zhang, Z. L., Hong, H. S., Zhou, J. L. & Yu, G. Occurrence and behaviour of organophosphorus insecticides in the River Wuchuan, southeast China. *J. Environ. Monit.* **4**, 498-504 (2002b).
- Zhang, Z. *et al.* Transport and fate of organochlorine pesticides in the River Wuchuan, Southeast China. *J. Environ. Monit.* **4**, 435-441 (2002c).
- Zhang, Z. L. *et al.* Fate and assessment of persistent organic pollutants in water and sediment from Minjiang River Estuary, southeast China. *Chemosphere* **52**, 1423-1430 (2003).
- Zhao, Z., Zhang, L., Wu, J. & Fan, C. Distribution and bioaccumulation of organochlorine pesticides in surface sediments and benthic organisms from Taihu Lake, China. *Chemosphere* **77**, 1191-1198 (2009).

- Zhao, Z. *et al.* Assessment of the potential mutagenicity of organochlorine pesticides (OCPs) in contaminated sediments from Taihu Lake, China. *Mutat. Res.* **696**, 62-68 (2010).
- Zhou, Y., Wang, Y. X., Zwahlen, F. & Boillat, J. Organochlorine pesticide residues in the environment of Central Jiangnan Plain, China. *Environ. Forensics* **12**, 106-119 (2011).
- Zidan, Z. H. *et al.* Detection of pesticide residues and metals in water and soil systems from certain industrial and agricultural areas at Kalubia Governorate, Egypt. *Ann. Agricul. Sci.* **48**, 389-410 (2003).
- Zoun, P. E., Spierenburg, T. J. & Baars, A. J. Gas chromatographic determination of endosulfan in fish and water samples. *J. Chromatogr.* **393**, 133-136 (1987).
- Zulin, Z. *et al.* Evaluation of the fate of the organic chlorine pesticides at the waters in Jiulong river estuary. *Environ. Sci.* **22**, 88-92 (2001).
- Zulin, Z. A. *et al.* Determination and load of organophosphorus and organochlorine pesticides at water from Jiulong River Estuary, China. *Mar. Pollut. Bull.* **45**, 397-402 (2002).